

V19.4.00

Notice

The company reserves the right to revise this publication or to change its contents without notice. Information contained herein is for reference only and does not constitute a commitment on the part of the manufacturer or any subsequent vendor. They assume no responsibility or liability for any errors or inaccuracies that may appear in this publication nor are they in anyway responsible for any loss or damage resulting from the use (or misuse) of this publication.

This publication and any accompanying software may not, in whole or in part, be reproduced, translated, transmitted or reduced to any machine readable form without prior consent from the vendor, manufacturer or creators of this publication, except for copies kept by the user for backup purposes.

Brand and product names mentioned in this publication may or may not be copyrights and/or registered trademarks of their respective companies. They are mentioned for identification purposes only and are not intended as an endorsement of that product or its manufacturer.

©October 2019

Trademarks

Intel, Pentium and Intel Celeron are trademarks/registered trademarks of Intel Corporation.



R&TTE Directive

This device is in compliance with the essential requirements and other relevant provisions of the R&TTE Directive 1999/5/EC.

This device will be sold in the following EEA countries: Austria, Italy, Belgium, Liechtenstein, Denmark, Luxembourg, Finland, Netherlands, France, Norway, Germany, Portugal, Greece, Spain, Iceland, Sweden, Ireland, United Kingdom, Cyprus, Czech Republic, Estonia, Hungary, Latvia, Lithuania, Malta, Slovakia, Poland, Slovenia.

ErP Off Mode Power Consumption Statement:

The figures below note the power consumption of this computer in compliance with European Commission (EC) regulations on power consumption in off mode:

• Off Mode < 0.5W

CE Marking

This device has been tested to and conforms to the regulatory requirements of the European Union and has attained CE Marking. The CE Mark is a conformity marking consisting of the letters "CE". The CE Mark applies to products regulated by certain European health, safety and environmental protection legislation. The CE Mark is obligatory for products it applies to: the manufacturer affixes the marking in order to be allowed to sell his product in the European market.

This product conforms to the essential requirements of the R&TTE directive 1999/5/EC in order to attain CE Marking. A notified body has determined that this device has properly demonstrated that the requirements of the directive have been met and has issued a favorable certificate of expert opinion. As such the device will bear the notified body number 0560 after the CE mark.

The CE Marking is not a quality mark. Foremost, it refers to the safety rather than to the quality of a product. Secondly, CE Marking is mandatory for the product it applies to, whereas most quality markings are voluntary.

FCC Statement (Federal Communications Commission)

You are cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Re orient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the service representative or an experienced radio/TV technician for help.

Operation is subject to the following two conditions:

1. This device may not cause interference.

And

2. This device must accept any interference, including interference that may cause undesired operation of the device.

FCC RF Radiation Exposure Statement:

- 1. This Transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.
- This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This
 equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator
 and your body.

沁

Warning Use only shielded cables to connect I/O devices to this equipment. You are cautioned that changes or modifications not expressly approved by the manufacturer for compliance with the above standards could void your authority to operate the equipment

IMPORTANT SAFETY INSTRUCTIONS


Follow basic safety precautions, including those listed below, to reduce the risk of fire, electric shock, and injury to persons when using any electrical equipment:

- 1. Do not use this product near water, for example near a bath tub, wash bowl, kitchen sink or laundry tub, in a wet basement or near a swimming pool.
- 2. Avoid using this equipment with a telephone line (other than a cordless type) during an electrical storm. There may be a remote risk of electrical shock from lightning.
- 3. Do not use the telephone to report a gas leak in the vicinity of the leak.
- 4. Use only the power cord and batteries indicated in this manual. Do not dispose of batteries in a fire. They may explode. Check with local codes for possible special disposal instructions.
- 5. This product is intended to be supplied by a Listed Power Unit according to the model's requirements:
- Full Range AC/DC Adapter AC Input 100 240V, 50 60Hz, DC Output 19V, 3.42A (65W) minimum.


Instructions for Care and Operation

The notebook computer is quite rugged, but it can be damaged. To prevent this, follow these suggestions:


1. Don't drop it, or expose it to shock. If the computer falls, the case and the components could be damaged.




Keep it dry, and don't overheat it. Keep the computer and power supply away from any kind of heating element. This is an electrical appliance. If water or any other liquid gets into it, the computer could be badly damaged.



- 3. **Avoid interference.** Keep the computer away from high capacity transformers, electric motors, and other strong magnetic fields. These can hinder proper performance and damage your data.
- 4. **Follow the proper working procedures for the computer.** Shut the computer down properly and don't forget to save your work. Remember to periodically save your data as data may be lost if the battery is depleted.



5. Take care when using peripheral devices.



Servicing

Do not attempt to service the computer yourself. Doing so may violate your warranty and may expose you and the computer to electric shock. Refer all servicing to authorized service personnel. Unplug the computer from the power supply. Then refer servicing to qualified service personnel under any of the following conditions:

- When the power cord or AC/DC adapter is damaged or frayed.
- If the computer has been exposed to rain or other liquids.
- If the computer does not work normally when you follow the operating instructions.
- If the computer has been dropped or damaged (do not touch the poisonous liquid if the LCD panel breaks).
- If there is an unusual odor, heat or smoke coming from your computer.

泛

Bottom Cover Removal Warning

Users should not remove any cover(s) and /or screw(s) for the purposes of device upgrade as this may violate the terms of your warranty. If you need to replace/remove the hard disk/RAM/optical device etc., for any reason, please contact your distributor/supplier for further information.

Removal Warning

When removing any cover(s) and screw(s) for the purposes of device upgrade, remember to replace the cover(s) and screw(s) before restoring power to the system.

Also note the following when the cover is removed:

- Hazardous moving parts.
- Keep away from moving fan blades.

Power Safety


The computer has specific power requirements:

Power Safety Warning

Before you undertake any upgrade procedures, make sure that you have turned off the power, and disconnected all peripherals and cables (including telephone lines and power cord).

You must also remove your battery in order to prevent accidentally turning the machine on. Before removing the battery disconnect the AC/DC adapter from the computer.

- Only use a power adapter approved for use with this computer.
- Your AC/DC adapter may be designed for international travel but it still requires a steady, uninterrupted power supply. If you are unsure of your local power specifications, consult your service representative or local power company.
- The power adapter may have either a 2-prong or a 3-prong grounded plug. The third prong is an important safety feature; do not defeat its purpose. If you do not have access to a compatible outlet, have a qualified electrician install one.
- When you want to unplug the power cord, be sure to disconnect it by the plug head, not by its wire.
- Make sure the socket and any extension cord(s) you use can support the total current load of all the connected devices.
- Before cleaning the computer, make sure it is disconnected from any external power supplies (i.e. AC/DC adapter or car adapter).



Polymer/Lithium-Ion Battery Precautions

Note the following information which is specific to Polymer/Lithium-Ion batteries only, and where applicable, this overrides the general battery precaution information overleaf.

- Polymer/Lithium-Ion batteries may experience a slight expansion or swelling, however this is part of the battery's safety mechanism and is not a cause for concern.
- Use proper handling procedures when using Polymer/Lithium-Ion batteries. Do not use Polymer/Lithium-Ion batteries in high ambient temperature environments, and do not store unused batteries for extended periods.
- If you are working in areas of low temperature use the AC/DC adapter to power the computer.

See also the general battery precautionary information overleaf for further information.

General Battery Precautions

- Only use batteries designed for this computer. The wrong battery type may explode, leak or damage the computer.
- Do not remove any batteries from the computer while it is powered on.
- Do not continue to use a battery that has been dropped, or that appears damaged (e.g. bent or twisted) in any way. Even if the computer continues to work with a damaged battery in place, it may cause circuit damage, which may possibly result in fire.
- If you do not use the battery for an extended period, then remove the battery from the computer for storage.
- Recharge the batteries using the notebook's system. Incorrect recharging may make the battery explode.
- Do not try to repair a battery pack. Refer any battery pack repair or replacement to your service representative or qualified service personnel.
- Keep children away from, and promptly dispose of a damaged battery. Always dispose of batteries carefully. Batteries may explode or leak if exposed to fire, or improperly handled or discarded.
- Keep the battery away from metal appliances.
- Affix tape to the battery contacts before disposing of the battery.
- Do not touch the battery contacts with your hands or metal objects.

泛

Battery Disposal & Caution

The product that you have purchased contains a rechargeable battery. The battery is recyclable. At the end of its useful life, under various state and local laws, it may be illegal to dispose of this battery into the municipal waste stream. Check with your local solid waste officials for details in your area for recycling options or proper disposal.

Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type recommended by the manufacturer. Discard used battery according to the manufacturer's instructions.

Cleaning

Do not apply cleaner directly to the computer; use a soft clean cloth.

Do not use volatile (petroleum distillates) or abrasive cleaners on any part of the computer.

Cleaning Instructions

(For Computer Models Supplied with Light Blue Cleaning Cloth)

Some computer models in this series come supplied with a light blue cleaning cloth. To clean the computer case with this cloth follow the instructions below:

- 1. Power off the computer and peripherals.
- 2. Disconnect the AC/DC adapter from the computer.
- 3. Use a little water to dampen the cloth slightly.
- 4. Clean the computer case with the cloth.
- 5. Dry the computer with a dry cloth, or allow it time to dry before turning on.
- 6. Reconnect the AC/DC adapter and turn the computer on.

Travel Considerations

As you get ready for your trip, run through this list to make sure the system is ready to go:

- 1. Check that the battery pack and any spares are fully charged.
- 2. Power off the computer and peripherals.
- 3. Close the display panel and make sure it's latched.
- 4. Disconnect the AC/DC adapter and cables. Stow them in the carrying bag.
- 5. The AC/DC adapter uses voltages from 100 to 240 volts so you won't need a second voltage adapter. However, check with your travel agent to see if you need any socket adapters.
- 6. Put the notebook in its carrying bag and secure it with the bag's straps.
- 7. If you're taking any peripherals (e.g. a printer, mouse or digital camera), pack them and those devices' adapters and/or cables.
- 8. Anticipate customs Some jurisdictions may have import restrictions or require proof of ownership for both hardware and software. Make sure your "papers" are handy.



Power Off Before Traveling

Make sure that your notebook is completely powered off before putting it into a travel bag (or any such container). Putting a notebook which is powered on in a travel bag may cause the Vents/Fan Intakes to be blocked. To prevent your computer from overheating make sure nothing blocks the Vent/Fan Intakes while the computer is in use.

On the Road

In addition to the general safety and maintenance suggestions in this preface, and Chapter 8: Troubleshooting, keep these points in mind:

Hand-carry the notebook - For security, don't let it out of your sight. In some areas, computer theft is very common. Don't check it with "normal" luggage. Baggage handlers may not be sufficiently careful. Avoid knocking the computer against hard objects.

Beware of Electromagnetic fields - Devices such as metal detectors & X-ray machines can damage the computer, hard disk, floppy disks, and other media. They may also destroy any stored data - Pass your computer and disks around the devices. Ask security officials to hand-inspect them (you may be asked to turn it on). **Note**: Some airports also scan luggage with these devices.

Fly safely - Most airlines have regulations about the use of computers and other electronic devices in flight. These restrictions are for your safety, follow them. If you stow the notebook in an overhead compartment, make sure it's secure. Contents may shift and/or fall out when the compartment is opened.

Get power where you can - If an electrical outlet is available, use the AC/DC adapter and keep your battery(ies) charged.

Keep it dry - If you move quickly from a cold to a warm location, water vapor can condense inside the computer. Wait a few minutes before turning it on so that any moisture can evaporate.

Developing Good Work Habits

Developing good work habits is important if you need to work in front of the computer for long periods of time. Improper work habits can result in discomfort or serious injury from repetitive strain to your hands, wrists or other joints. The following are some tips to reduce the strain:



- Adjust the height of the chair and/or desk so that the keyboard is at or slightly below the level of your elbow. Keep your forearms, wrists, and hands in a relaxed position.
- Your knees should be slightly higher than your hips. Place your feet flat on the floor or on a footrest if necessary.
- Use a chair with a back and adjust it to support your lower back comfortably.
- Sit straight so that your knees, hips and elbows form approximately 90-degree angles when you are working.
- Take periodic breaks if you are using the computer for long periods of time.



Remember to:

- Alter your posture frequently.
- Stretch and exercise your body several times a day.
- Take periodic breaks when you work at the computer for long periods of time. Frequent and short breaks are better than fewer and longer breaks.

Lighting

Proper lighting and a comfortable viewing angle can reduce eye strain and shoulder and neck muscle fatigue.

- Position the display to avoid glare or reflections from overhead lighting or outside sources of light.
- Keep the display screen clean and set the brightness and contrast to levels that allow you to see the screen clearly.
- Position the display directly in front of you at a comfortable viewing distance.
- Adjust the display-viewing angle to find the best position.

LCD Screen Care

To prevent **image persistence** on LCD monitors (caused by the continuous display of graphics on the screen for an extended period of time) take the following precautions:

- Set the Windows Power Plans to turn the screen off after a few minutes of screen idle time.
- Use a rotating, moving or blank screen saver (this prevents an image from being displayed too long).
- Rotate desktop background images every few days.
- Turn the monitor off when the system is not in use.

LCD Electro-Plated Logos

Note that in computers featuring a raised LCD electro-plated logo, the logo is covered by a protective adhesive. Due to general wear and tear, this adhesive may deteriorate over time and the exposed logo may develop sharp edges. Be careful when handling the computer in this case, and avoid touching the raised LCD electro-plated logo. Avoid placing any other items in the carrying bag which may rub against the top of the computer during transport. If any such wear and tear develops contact your distributor/supplier.

Contents

Notice	I
ErP Off Mode Power Consumption Statement:	II
FCC Statement	IV
FCC RF Radiation Exposure Statement:	V
Instructions for Care and Operation	
Servicing	IX
Power Safety	X
Polymer/Lithium-Ion Battery Precautions	XI
General Battery Precautions	XII
Cleaning	XIII
Cleaning Instructions	XIII
Travel Considerations	XIV

Quick Start Guide

Overview	1-1
Advanced Users	1-2
Beginners and Non-Advanced Users	1-2
Warning Boxes	1-2
Not Included	1-3
System Startup	1-4

System Software	1-5
LCD Panel Open	
LCD Panel Open with Fan Area	
LED Indicators	
Keyboard / Illuminated Keyboard	
Function/Hot Key Indicators	1-10
Control Center	1-11
Screen Rotation	1-12
Front & Left Views	1-13
Right View & Rear Views	1-14
Bottom View	1-15
Windows 10 Start Menu	
Right-Clicking the Windows Logo In Start Menu	1-17
Windows 10 Control Panel	1-19
Settings1	1-20
Windows 10 Taskbar	1-21
Action Center	1-22
Video Features	1-23
Power Options	1-27

Features & Components

2-2
2-3
2-4
2-4
2-5
2-7
2-14
2-15
2-16
2-17
2-18

Power Management

Overview	-1
The Power Sources	-2
AC/DC Adapter	-2
Battery	
Turning On the Computer	
Shutting the Computer Down	
Power Plans	-5
Power-Saving States	-7
Sleep (Modern Standby)	

Hibernate	
Shut down	
Configuring the Power Buttons	3-9
Resuming Operation	
Settings Menu Power Controls	
Battery Information	
Battery Power	
Power Slider Settings	
Conserving Battery Power	
Battery Life	
New Battery	
Recharging the Battery with the AC/DC Adapter	
Proper handling of the Battery Pack	
Battery FAQ	

Drivers & Utilities

What to Install	4-1
Module Driver Installation	4-1
Driver Installation	4-2
Updating/Reinstalling Individual Drivers	4-5
User Account Control	4-6
Windows Security Message	4-6

New Hardware Found	4-6
Driver Installation Procedure	4-7
Chipset	4-7
Serial IO	4-7
Video (VGA)	4-7
CardReader	4-8
Intel® HID Filter Driver	4-8
Control Center	4-8
MEI Driver	4-8
Intel® Dynamic Platform Driver	4-8
ANX Driver	
Audio	4-8
Optional Drivers	4-10

BIOS Utilities

Overview5	5-1
The Insyde BIOS Utility5	5-2
UEFI Boot5	
Insyde BIOS Start Screen	<i>j</i> -4
Insyde BIOS Start Screen Options:	
Boot Manager	
Boot From File / File Explorer	

Administer Secure Boot	5-8
Setup Utility - Main Menu	5-10
Setup Utility - Advanced Menu	
Setup Utility - Security Menu	
Setup Utility - Boot Menu	
Setup Utility - Exit Menu	

Modules & Options

Overview	6-1
Intel® Optane TM	6-2
Intel® Rapid Storage Technology Application	6-2
Intel® Optane TM Setup Procedure	6-3
Wireless LAN	6-5
Intel® WLAN Driver Installation	6-6
WLAN Configuration in Windows 10	6-7
Bluetooth	6-10
Intel Bluetooth Driver Installation	6-11
Bluetooth Configuration in Windows	6-12
To Make your Computer Discoverable to Bluetooth Devices	6-15
Intel® Software Guard Extensions Driver	6-16
Intel SGX Driver Installation	6-16
Intel® Rapid Storage Technology	6-17

IRST Driver Installation	6-17
Intel® Rapid Storage Technology	6-18
Intel® Rapid Storage Technology for Optane Systems	6-19
Enabling Intel® Optane TM	6-20
Disabling Intel® Optane TM	6-24
Disabling Intel [®] Optane [™] in the BIOS	6-26
PC Camera Module	6-28
Camera App	6-29
Taking Pictures/Capturing Video	
IR Camera	6-35
IR Camera Module Configuration	6-36
Trusted Platform Module	
Enabling & Activating TPM	6-41
TPM Management in Windows	
TPM Actions	

Troubleshooting

Overview	7-1
Basic Hints and Tips	7-2
Backup and General Maintenance	
Viruses	
Upgrading and Adding New Hardware/Software	

Problems and Possible Solutions	
Intel® Optane TM Notes	

Interface (Ports & Jacks)

OverviewA-1	
Notebook Ports and Jacks	

Control Center

Overview	B-1
Power Modes	B-4
Illuminated LED Keyboard	B-5

Video Driver Controls

Intel Video Driver Installation	C-1
Dynamic Video Memory Technology	C-2
Configure Other Displays Using Project	C-3
You can configure attached displays from Project.	
Configuring an External Display In Windows	C-4
HDMI Audio Configuration	C-5
Wireless Display Configuration	C-8
Intel® UHD Graphics Control Panel	C-10
Display Devices & Options	C-23
Attaching Other Displays	C-24

Specifications

Display	D-2
Memory	D-2
Storage	D-2
Audio	D-2
Pointing Device & Keyboard	
Interface	
Card Reader	D-2
Slot	D-2
Communication	D-2
Power Management	D-3
Power & Battery	
Security	
Features	
Operating System	D-3
Indicators	
BIOS	D-3
Environmental Spec	D-3
Dimensions & Weight	

Chapter 1: Quick Start Guide

Overview

This Quick Start Guide is a brief introduction to the basic features of your computer, to navigating around the computer and to getting your system started. The remainder of the manual covers the following:

- Chapter 2 A guide to using some of the main features of the computer e.g. the storage devices (SSD and Multi-in-1 card reader), TouchPad & Mouse & Audio.
- Chapter 3 The computer's power saving options.
- Chapter 4 The installation of the drivers and utilities essential to the operation or improvement of some of the computer's subsystems.
- Chapter 5 An outline of the computer's built-in software or **BIOS** (Basic Input Output System).
- Chapter 6 A quick guide to the computer's PC Camera, Wireless LAN, Combo Bluetooth & WLAN and Intel modules (some of which may be optional depending on your purchase configuration).
- Chapter 7 A troubleshooting guide.
- Appendix A Definitions of the interface, ports/jacks which allow your computer to communicate with external devices.
- Appendix B Information on Control Center.
- Appendix C Information on the Video driver controls.
- Appendix D The computer's specification.

Quick Start Guide

Advanced Users

If you are an advanced user you may skip over most of this Quick Start Guide. However you may find it useful to refer to "*What to Install*" on page 4 - 1 and "*BIOS Utilities*" on page 5 - 1 in the remainder of the User's Manual. You may also find the notes marked with a \checkmark of interest to you.

Beginners and Non-Advanced Users



Check the light colored boxes with the mark above to find detailed information about the computer's features.

If you are new to computers (or do not have an advanced knowledge of them) then the information contained in the Quick Start Guide should be enough to get you up and running. Eventually you should try to look through all the documentation (more detailed descriptions of the functions, setup and system controls are covered in the remainder of the User's Manual), but do not worry if you do not understand everything the first time. Keep this manual nearby and refer to it to learn as you go. You may find it useful to refer to the notes marked with a P as indicated in the margin. For a more detailed description of any of the interface ports and jacks see "Interface (Ports & Jacks)" on page A - 1.

Warning Boxes

No matter what your level please pay careful attention to the warning and safety information indicated by the 2 symbol. Also please note the safety and handling instructions as indicated in the *Preface*.

Not Included

Operating Systems (e.g. *Windows 10*) and applications (e.g. word processing, spreadsheet and database programs) have their own manuals, so please consult the appropriate manuals.

V

Drivers

If you are installing new system software, or are re-configuring your computer for a different system, you will need to install the drivers listed in "Drivers & Utilities" on page 4 - 1. Drivers are programs which act as an interface between the computer and a hardware component e.g. a wireless network module. It is very important that you install the drivers in the order listed. You will be unable to use most advanced controls until the necessary drivers and utilities are properly installed. If your system hasn't been properly configured (your service representative may have already done that for you); refer to Chapter 4 for installation instructions.


Ports and Jacks

See "Interface (Ports & Jacks)" on page A - 1 for a description of the interface (ports & jacks) which allow your computer to communicate with external devices, connect to the internet etc.

Quick Start Guide

System Startup

- 1. Remove all packing materials, and place the computer on a stable surface.
- 2. Securely attach any peripherals you want to use with the notebook (e.g. keyboard and mouse) to their ports.
- 3. When first setting up the computer use the following procedure (as to safeguard the computer during shipping, the battery will be locked to not power the system until first connected to the AC/DC adapter and initially set up as below):
 - Attach the AC/DC adapter cord to the DC-In jack on the left of the computer, then plug the AC power cord into an outlet, and connect the AC power cord to the AC/DC adapter and the battery will now be unlocked.
- 4. Use one hand to raise the lid/LCD to a comfortable viewing angle (**do not exceed 180 degrees**); use the other hand to support the base of the computer (**Note**: **Never** lift the computer by the lid/LCD).
- 5. Press the power button on the left side of the computer to turn it on (**note that the lid/LCD must be open for the power button to function**).



Shutdown

ß

Note that you should always shut your computer down by choosing the **Shut Down** command in **Windows**. This will help prevent hard disk or system problems.

Figure 1 - 1 - Opening the Lid/LCD & Computer with AC/DC Adapter Plugged-In

1 - 4 System Startup

System Software

Your computer may already come with system software pre-installed. Where this is not the case, or where you are re-configuring your computer for a different system, you will find the *Windows 10 (64-bit)* operating system is supported.



Quick Start Guide

Figure 1 - 2 LCD Panel Open

Built-in PC Camera OR Windows Hello Infrared Camera (Factory Option)

- 2. PC Camera LED
- 3. Built-In Array Microphone
- 4. LCD
- 5. Keyboard
- 6. Touchpad & Buttons

Note that the Touchpad/ Clickpad and Buttons has a valid operational area indicated within the dotted lines on the right.

LCD Panel Open

Wireless Device Operation Aboard Aircraft

The use of any portable electronic transmission devices aboard aircraft is usually prohibited. Make sure the WLAN & Bluetooth are OFF if you are using the computer aboard aircraft by putting the system in to Airplane Mode (see Table 1 - 2, on page 1 - 10).



LCD Panel Open with Fan Area



1

Figure 1 - 3 LCD Panel Open with Fan Area

1. Vent/Fan Intake/ Outlet



Overheating

To prevent your computer from overheating make sure nothing blocks or covers the Vent/Fan Intake 1 while the computer is in use.

LED Indicators

The LED indicators on the computer display helpful information about the power status of the computer.

lcon	Color	Description
	Orange	DC Power is Plugged In (Computer is Off)
10/4	Green	The Computer is On
	Blinking Green	The Computer is in Sleep Mode

Table 1 - 1 - LED Indicators

Keyboard / Illuminated Keyboard

The keyboard has function keys to change operational features instantly.

Esc	F1 🔊	F2	F3 🕲	F4	F5 C()#	F6 (1)	F7	F8	¢₹	F9 ∦		-10 ©	F	+	F12	ø	Prt Sc SysRq	Pause Break	Ins Num Lk	Del Scr Lk
~ ►/II	1	@	*L 3	ED E	Backlig	ht Ke	y* Fu	JINC	tior		eys	(9	9) 0	*			+	Ва	ckspace
Course of	/Paus		1.12	E	R	Т	Y	,	U	4	1	5	0		P	1		m Lk · Lk K		:
Caps L	ock	A	S	[D F		G	н		J	1	к	2	L	3	:	-		← Ente	er 🛶
T Shift		Z	-	×	С	v	В		N		М	o Me	< enu	ı/A	> opl	ica	? tion	₊ Key	nift	
n Ke	EV En				-						_	-	Alt		Ctrl		P	gUp Home	^	PgDn En
	-y			WI	ndows	Logo	о кеу						Aut		Gui			<	~	>

*Note that the LED Backlight key is only included for white illuminated keyboards only

Figure 1 - 4 - Keyboard

Ø Other Keyboards

If your keyboard is damaged or you just want to make a change, you can use any standard USB keyboard. The system will detect and enable it automatically. However special functions/hot-keys unique to the system's regular keyboard may not work.

Scr Lk & Num Lk

Hold down the **Fn Key** and Scr Lk or Num Lk to enable scroll lock, and number lock.

Function/Hot Key Indicators

The function keys (F1 - F12 etc.) will act as hot keys when pressed while the Fn key is held down.

Keys	Function		Keys	F	unction
Fn + 🏹	Play/Pause (in Audic	/Video Programs)	Fn + \Bigg F8	Brightness	Decrease/Increase
Fn + 1	Fan Control Toggle Automatic Fan Control / Full Power	FAN BPEED AUTONATIC FAN BPEED MAXIMUM	Fn + F 10	PC Camera Power Toggle	CAMERA DN
Fn + 🕅	TouchPad Toggle	TOUCH PAD ON	Fn + F11	Airplane Mode Toggle	 Airplane mode on Airplane mode off
Fn + F 2	LCD Toggle (or press any key to resume)		Fn + F12	Sleep Toggle (or press any key to resu	
Fn + F 3	Mute Toggle		Fn + NumLk	Number Lock Toggle	
Fn + F4	For Illuminated white LED Keyboards Only- Toggle Off/High/Low		Fn + ScrLk	Scroll Lock Toggle	
Fn + 5 6	Volume Decrease/Increase		Caps Lock	Caps Lock Toggle	A CAPS LOCK ON
Fn + F7	Display Toggle		Fn + R	Rotate the Screen	
Fn + Esc	Control Cent	er Toggle	Table 1 - 2 - Fu	nction & Hot	Key Indicators

1 - 10 Function/Hot Key Indicators

Control Center

Run the **Control Center** from the **Windows Start** menu \bigcirc Control Center 30 or use the **Fn** + **Esc** key combination, or double-click the icon \bigcirc in the notification area of the taskbar. The **Control Center** provides quick access to **Power Modes**, **Fan** settings and **LED Keyboard** (for optional white illuminated keyboards only) configuration (see *Appendix B*).



Figure 1 - 5 - Control Center

Screen Rotation

The computer's LCD can be opened up to 180 degrees, and you can use the $\mathbf{Fn} + \mathbf{R}$ key combination to fully rotate the screen. You can use this to rotate the screen to allow someone sitting facing you to view the screen if required.



Figure 1 - 6 LCD Panel Open to 180 degrees with Screen Rotated

Front & Left Views



USB Ports

This model includes 1 * USB 3.0 (USB3,1 Gen 1) port, 1 * USB 3.1 (USB3,1 Gen 2) port and 1 * DisplayPort 1.2 over USB 3.1,Gen 2 (Type-C with Power Delivery DC-In). On this model, the larger blue ports are Type A USB ports, and the smaller port is a Type C port.

See "Interface (Ports & Jacks)" on page A - 1 for further information on the USB ports etc.

Optical Device Drives

To install applications and drivers etc. you will need to attach an external optical CD/DVD device to the USB ports.

Figure 1 - 7 Front & Left Views

- 1. LED Indicator
- 2. DC-In Jack
- 3. HDMI-Out Port
- 4. USB 3.1 Type A Port (USB 3.1 Gen 2)
- DisplayPort 1.2 over USB 3.1 Gen 2 (Type C with Power Delivery DC-In) Port

⁸ Right View & Rear Views

Figure 1 - 8 Right & Rear Views

- 1. Power Button
- 2. MicroSD Card Reader
- 3. 2-In-1 Combo (Headphone/ Microphone) Audio Jack
- 4. USB 3.0 (USB 3.1 Gen 1) Type A Port
- 5. Security Lock Slot



Battery Information

Always completely discharge, then fully charge, a new battery before using it. Completely discharge and charge the battery at least once every 30 days or after about 20 partial discharges. See *"Battery Information" on page 3 - 16* for full instructions.

MicroSD Card Reader

The card reader allows you to use microSD storage cards:

microSD / microSDHC / microSDXC

Bottom View



Quick Start Guide

Figure 1 - 9 Bottom View

1. Speakers

ttom Cover Removal Warnin

Bottom Cover Removal Warning

Do not remove any cover(s) and /or screw(s) for the purposes of device upgrade as this may violate the terms of your warranty.

If you need to replace/remove the SSD(s) or RAM for any reason, please contact your distributor/supplier for further information.

Windows 10 Start Menu

Most of the apps, control panels, utilities and programs within *Windows 10* can be accessed from the **Start Menu** by clicking the icon \blacksquare in the taskbar in the lower left corner of the screen (or by pressing the **Windows Logo Key** \blacksquare on the keyboard). The Start Menu will contain a number of apps, and many more will be installed as you add more applications etc. Not all of these apps may fit on the screen so you can use the scroll bar to move up and down the screen.



Figure 1 - 10 - Windows Start Menu

Right-Clicking the Windows Logo In Start Menu

Right-click the Start Menu 📷 icon (or use the Windows Logo Key 📷 + X key combination) to bring up an advanced Context Menu of useful features such as Apps and Features, Power Options, Task Manager, Search, File Explorer, Device Manager, Computer Management and Network Connections etc.




Figure 1 - 11 - Right-Click Windows Logo in Start Menu

Pining/Unpinning Apps & Programs to/from the Start Menu

To make things easy to find you can add and remove tiles for apps and programs to the Start Menu. Right-Click on a program's icon and select **Pin to Start** from the drop-down menu. To remove an app or program from the Start Menu right-click the icon and select **Unpin from Start**. You can use the same method to **pin apps/pro-grams to/from the taskbar** (select pin to taskbar/unpin this program from the taskbar).




Figure 1 - 12 - Pin to Start/Unpin from Start

Windows 10 Control Panel

In many instances throughout this manual you will see an instruction to open the **Control Panel**. The Control Panel can be accessed in a number of ways in *Windows 10*.

- Select *Control Panel* under the Windows System item in the Start Menu.
- Type *Control Panel* into the *Search* box in the taskbar and click on the icon when it pops up.
- You can pin the *Control Panel* tile to *Start* or *task-bar*.




Figure 1 - 13 - Windows 10 Control Panel Access

Settings


The **Settings** item in the Start Menu (and also as an App) gives you quick access to a number of system settings control panels allowing you to adjust settings for System, Devices, Network & internet, Personalization, Apps, Accounts, Time & language, Gaming, Ease of Access, Privacy and Update & security.



1 - 20 Windows 10 Control Panel

Windows 10 Taskbar

In many instances throughout this manual you will see an instruction to access the **notification area of the taskbar**. The notification area of the taskbar in the bottom right of the screen. Some of the Control Panels and applications referred to throughout the course of this manual can be accessed from here.



You can pin/unpin apps to/from the taskbar in much the same way as you can to the Start screen (see "*Pining/* Unpinning Apps & Programs to/from the Start Menu" on page 1 - 18).

Action Center

The Action Center appears as a vertical panel on the right side of the screen (click Expand to view the full panel) when you swipe in from the right or click the button in the notification tray. This gives you access to commonly needed functions like Network, All Settings, Airplane Mode, and Project etc. The Action Center also contains a Brightness slider when expanded.




Figure 1 - 16 - Action Center

1 - 22 Windows 10 Control Panel

Video Features

You can switch display devices, and configure display options, from the **Display Settings** control panel (see over). In *Windows 10* it is possible to quickly configure external displays from the **Project** menu (press the Windows logo key \blacksquare on your keyboard and the **P** key).

To Configure Displays using Project

- 1. Attach your display to the appropriate port, and turn it on.
- 2. Press the **# + P** key combination.
- 3. Click on any one of the options from the menu to select PC screen only, Duplicate, Extend or Second screen only.
- You can also click Connect to a wireless display at the bottom of the Project screen and follow the steps to connect to any wireless enabled display.



Figure 1 - 17 - Project (Devices)

To access the Display Settings:

- 1. You can quickly adjust the display by right-clicking the desktop and selecting **Display Settings**.
- 2. Adjust the settings for **Brightness and color**, **Scale and layout**, **Resolution** and **Orientation** from the menus.
- 3. When and external display is attached you can arrange the display configuration from the **Multiple Displays** menu, and arrange the configuration from **Select and rearrange displays**.
- 4. Click **Apply** to save any changes made.

View > Sort by > Refresh	4 Settings får Home Fried a setting	Display Brightness and color	Display Select and rearrange displays Select a display below to change its settings. Some settings are applied to all doplays.
Paste Paste shortcut New	System Display 00 Sound	Change brightness for the built-in display Night light Diff Night beft settings	1 2
 Display settings Personalize 	Notifications & actions Notifications Kocks about Power & sleep	Windows HD Color Get a brighter, more vitrant picture in HDR and WCG videos games and apps on the display selective above. Windows HD Color settings	Apply Cancel Identify Detect
	 Battery Storage Tablet mode 	Scale and layout Change the size of text, apps, and other items	Multiple displays Duplicate these displays
	다 Multitasking 과 Projecting to this PC X Shared experiences	125% (Recommended) ··· Advanced scaling settings Display resolution 1920 × 1080 (Recommended) ··· Display resolution	Extend these displays Show only on 1 Show only on 2 Display adapter properties

Figure 1 - 18 - Display Settings

1 - 24 Video Features

To access the Intel(R) UHD Graphics Control Panel:

- 1. Access the Intel Graphics Control Panel from the Start menu in Windows.
- 2. You can right-click the Intel Graphics Control Panel in the Start menu and pin the control panel to the taskbar.
- 3. Use the Ctrl + Alt + F12 key combination shortcut to open the Intel Graphics Control Panel.



Figure 1 - 19 - Intel® UHD Graphics Control Panel

Minimum Screen Resolution Settings

- 1. Windows 10 has minimum screen resolution requirements.
- 2. Right-click a blank area of the Desktop and select **Display Settings**.
- 3. Adjust the **Display Resolution** to make sure that it is at least **1024** * **768**, although preferably **1366** * **768** or above.

Settings		~	X
ගි Home	Display		
Find a setting	Windows HD Color		
System			
	Get a brighter, more obstant picture in HDR and WCG videos, games, and apps on the display selected above.		
Display	Windows HD Color sattives		
	1920 × 1080 (Recommended)		
40 Sound	1680 × 1050		
Notifications & actions	1600 × 900		
	1440 × 900		
2 Focus assist	1400 × 1050		
() Power & sleep	1366 × 768		
C rome a seep	1360 × 768		
Battery	1280 × 1024		
Storage	1280 × 960		
	1280 × 800		
Tablet mode	1280 × 768		
	1280 × 720		
H Multitasking	1280 × 600		
Projecting to this PC	1152 × 864		
	1024 × 768		
X Shared experiences			

Figure 1 - 20 - Display (Resolution)

Power Options

Power Options (Hardware and Sound) can be accessed from the Control Panel. The **Power** button item in **Start Menu** (or the context menu) may be used to **Shut down** or **Restart** (you can also add **Hibernate/Sleep** to the menu - see page *1 - 28*). To fully control all the power options (including Hibernate mode) go to the **Power Options** control panel and configure the power button, sleep button and lid to perform the function selected.

Using the Power Button

- 1. Go to the Start Menu.
- 2. Click the Power button 🕐
- 3. Select the power state required from the menu.






Figure 1 - 21 - Shut Down/Restart

You can also use the **context menu** (right-click the Start Menu **s** icon or press the Windows logo **s** + X key combination) to **Sign out, Sleep, Hibernate, Shut down**, and **Restart**.





Ctrl + Alt + Delete Key Combination

You can use the **CTRL** + **ALT** + **DEL** key combination to bring up a full-screen displaying Lock, Sign out, **Change a password, Task Manager and Switch User**. If you click the **Power** icon in the lower right corner of the screen a power management option menu appears to display **Sleep, Hibernate, Shut down**, and **Restart**.

Chapter 2: Features & Components

Overview

Read this chapter to learn more about the following main features and components of the computer:

- Solid State Drive
- MicroSD Card Reader
- Touchpad and Buttons/Mouse
- Realtek Audio Console

Features & Components

Bottom Cover Removal War<u>ning</u>

Do not remove any cover(s) and /or screw(s) for the purposes of device upgrade as this may violate the terms of your warranty.

If you need to replace/ remove the hard disk for any reason, please contact your distributor/supplier for further information.

Solid State Drive

The solid state drive (SSD) is used to store your data in the computer. The SSD can be taken out to accommodate other serial (SATA/PCIE) SSDs, however you will need to contact your distributor/supplier to do this in order to avoid violating the terms of your warranty (see "*Storage*" on page D - 2 for specification information).

Boodor

MicroSD Card Reader

The card reader allows you to use microSD storage cards. Push the card into the slot and it will appear as a removable device, and can be accessed in the same way as your hard disk (s). Make sure you install the card reader driver (see "*CardReader*" *on page 4 - 8*).

The compatible microSD card formats are listed below:

• microSD / microSDHC / microSDXC



1. MicroSD Card Reader

Features & Components



Features & Components



Touchpad Cleaning

In order to improve pad performance it is necessary to keep the surface clean and free of fingerprints and marks etc.

Use a soft dry cleaning cloth to keep the pad surface clean.

Disabling the Pad

Use the **Fn + F1** or Control Center button to disable the Touchpad.


Figure 2 - 2 **Touchpad Zones**


Touchpad and Buttons/Mouse

The Touchpad is an alternative to the mouse; however, you can also add a mouse to your computer through one of the USB ports. The Touchpad buttons function in much the same way as a two-button mouse.

Touchpad Sensitivity

The **mouse button zones** at the bottom of the pad are defined by the line at the **bot-tom** of the pad, and the **left and right buttons** are divided roughly down the middle. Press the left button zone for a left click, and right button zone for a right click action.





Mouse Properties Control Panel

You can configure the functions from the **Mouse** control panel in *Windows* as follows.

- 1. Right-click the Start Menu f icon.
- 2. Select Control Panel under the Windows System item in the Start Menu.
- 3. Click Mouse (Hardware and Sound > Devices and Printers).
- 4. Click the menu headings tabs to adjust your mouse preferences.



Disabling the Touchpad

If you need to disable the Touchpad for any reason (e.g. you may find that when using the computer's internal keyboard you accidentally trigger the Touchpad when resting your wrists or palms on it) you can do so by using Fn + F1 key combination.

Figure 2 - 3 Mouse Properties Control Panel -Buttons 2

Features & Components

Figure 2 - 4 Mouse Properties Control Panels


Mouse Properties	×	Mouse Properties	
Buttons PointerS Pointer Options Wheel Hardware		Buttons Pointers Pointer Options Wheel Hardware	
Scheme		Moton	
Windows Default (system scheme)	¥.	Select a pointer speed:	
	12	Slow Feit	
Saye As			
		Enhance pointer precision	
Customize:		Snap To	
Normal Solice:	N (2)	Automatically move pointer to the detault button in a	
Help Select	Rey.	- g dialog box	
Working In Background	0	Visionity	
working in background		NSS Display pointer train	
Busy	0	Constraint pointer game	
Precision Select	+	and the contract of the contra	
Text Select	T	Hide pointer while typing	
Text Select	+ +		
Enable pointer shadow Use Default	Browse	Show location of pointer when I press the CTRL key	
OK Canoel	Anna	OK Canoel	Jum
Mouse Properties	×	Mouse Properties	
Buttons Pointers Pointer Options Wheel Hardware		Buttons Pointers, Pointer Options Wheel Hardware	
Vertical Scrolling		Dévices:	
		Name Type	
Roll the wheel one notch to scroll:		HID-compliant mouse Mice and	other
The following number of lines at a time.		Logitech USB WheelMouse Mice and	
3 .		Synaptics SMBus TouchPad Mice and	
			other
		the second se	other
Orie screen at a time		Device Properties	other
		Device Properties Manufacturer: Microsoft	other
One screen at a time Horizontal Screling Tith the wheel to screli the following number of			other
One screen at a time		Manufacturer: Microsoft Location: on Synaptics HID-Compliant Touch pad Device	other
One screen at a time Honzontal Screling Tift the wheel to screli the following number of		Manufacturer: Microsoft	other
One screen at a time Horizontal Scraing If the wheel to scrail the following number of characterst at a time:		Manufacturer: Microsoft Location: on Synaptics HID-Compliant Touch pad Device	other
One screen at a time Horizontal Scraing If the wheel to scrail the following number of characterst at a time:		Manufacturer: Microsoft Location: on Synaptics HID-Compliant Touch pad Device	other
Othe screen at a time Honzontal Screing If the wheel to screil the following number of characterist at a time:		Manufacturer: Microsoft Location: on Synaptics HID-Compliant Touch pad Device	other
One screen at a time Horizontal Scraing If the wheel to scrail the following number of characterst at a time:		Manufacturer: Microsoft Location: on Synaptics HID-Compliant Touch pad Device	other
One screen at a time Horizontal Scraing If the wheel to scrail the following number of characterst at a time:		Manufectuar: Microwoft Location: on Synaptics HID-Compliant Touch pad Device Device status: The device is working property.	
One screen at a time Horizontal Scroling If the wheel to scroll the following number of characters at a time:		Manufacturer: Microsoft Location: on Synaptics HID-Compliant Touch pad Device	
Othe screen at a time Honzontal Screing If the wheel to screil the following number of characterist at a time:		Manufectuar: Microwoft Location: on Synaptics HID-Compliant Touch pad Device Device status: The device is working property.	
One screen at a time Horizontal Scroling If the wheel to scroll the following number of characters at a time:	Ann	Manufectuar: Microwoft Location: on Synaptics HID-Compliant Touch pad Device Device status: The device is working property.	


2

Mouse & Touchpad Devices

You can configure the functions from the **Mouse or Touchpad** control panels in *De*vices in the *Settings* control panel as follows.

- 1. Click the Settings item in the Start Menu (or All Settings in the Action Center).
- 2. Click Devices.
- 3. Click Mouse or Touchpad.






Features & Components

Features & Components

Mouse Settings

You can select the primary mouse button and scrolling options and access Mouse Properties from Additional mouse options.

← Settings Mouse A Home P Select your primary button Find a setting Left \vee Devices Roll the mouse wheel to scroll Bluetooth & other devices Multiple lines at a time ~ B Printers & scanners Choose how many lines to scroll each time ① Mouse Scroll inactive windows when I hover over them E Touchpad O On Typing **Related settings** Pen & Windows Ink Adjust mouse & cursor size AutoPlay Additional mouse options D USB Have a question? Troubleshoot my mouse Get help



Touchpad Settings

You can disable the Touchpad by clicking the Touchpad button to turn it off.

You can set the system to automatically disable the internal Touchpad when an external USB point device (e.g a USB mouse) is attached. Click "Leave touchpad on when a mouse is connected" to off.

	Touchpad	
Find a setting	Your PC has a precision touchpad.	
Devices	Jouchpad	
Bluetooth & other devices	 On Leave touchpad on when a mouse is connected 	
员 Printers & scanners	Change the cursor speed	<i>Figure 2 - 7</i>
O Mouse		Windows Settings Touchpad
🖬 Touchpad	Taps	Touchpau
Typing	Use taps to click, right-click, and select. Turn down the sensitivity If they activate while you're typing	
de Pen & Windows Ink	Touchpad sensitivity	
AutoPlay	Medium sensitivity	
🗇. USB	Tap with a single finger to single-click	
* To	V Tap with two fingers to right-click	
	✓ Tap twice and drag to multi-select	

Touchapd Taps

The **Touchpad Sensitivity** feature helps prevent recognizing taps on the pad by accident, by recognizing when your palm is resting on it or brushing its surface while you are typing.

Click in the check box to enable/disable the different gestures or taps on the surface of the pad to perform specific actions to manipulate documents, objects and applications.




Figure 2 - 8 Windows Settings Touchpad Sensitivity & Taps

2 - 10 Mouse & Touchpad Devices

Touchapd Scroll and Zoom

Click to enable/disable the two finger scrolling and pinch zooming gesture.



Figure 2 - 9 Scroll and Zoom/ Scrolling Gesture


The **two-finger scrolling** feature works in most scrollable windows and allows you to scroll horizontally and vertically. Place two fingers, slightly separated, on the Touchpad surface and slide both fingers in the direction required (in a straight continuous motion).

The **two-finger pinch to zoom** gesture can be used to perform the same function as a scroll wheel in *Windows* applications that support CTRL + scroll wheel zoom functionality. Place two fingers on the pad (for best results use the tips of the fingers) and slide them apart to zoom in, or closer together to zoom out.



Figure 2 - 10 **Zooming Gesture**


Features & Components



The **three-finger** and **four-finger swipes** and **taps** can be configured for a number of different functions. Select the appropriate function from the drop-down menu.

2 - 12 Mouse & Touchpad Devices

The following is an overview of some of the main gestures you can use with your Touchpad, however these can be configured from the Touchpad menus.



Features & Components

ß

Volume Adjustment

The sound volume level can be clicking using the volume control icon ()) in the *notification area of the taskbar*.





Figure 2 - 14 Realtek Audio Console (Windows Start Menu)

Realtek Audio Console

You can configure the audio options on your computer from the **Sound** \mathbb{Z} control panel in *Windows*, or from the **Realtek Audio Console Windows Start** menu. Make sure you have installed the driver and checked the Microsoft Store for updates (see "Audio" on page 4 - 8). The volume may also be adjusted by means of the volume icon in the taskbar or the audio slider in the Settings menu (see sidebar).



Realtek Audio Console - Main

You can adjust the Speaker and Microphone levels by using the sliders in the Realtek Audio Console Main window.

Realtek Audio Console	Same States				- D ×	
Main	Playback Devices					Ei
Playback Devices	Speakers		Mute	0		Figure 2 - 15 Realtek Audio
Speakers						Console
Recording Devices	Recording Devices					(Main)
🎍 Microphone	Microphone	1 C	Mute	0		
Device advanced settings						
Device advanced settings Power Management						

Features & Components

Realtek Audio Console - Speakers

Click Speakers to access controls for the format and speaker balance etc.

Realtek Audio Console D X Main Volume n Main Balance Mute - 01 R Playback Devices 40 Speakers Sound Effects Equalizer Recording Devices <None> Reset Microphone +12 12 31 251 Device advanced settings Environment Power Management Padded Cell Reset Information Front left and right Virtual Surround encodes surround audio for transfer as stereo output to receivers with a Matrix decoder. \bigcirc Off ۰ Device advanced settings Š 0 Power Management

Figure 2 - 16 **Realtek Audio Console** (Speakers)

Realtek Audio Console - Microphone

Click **Microphone** to access advanced controls for recording on the microphone. Adjust the recording **Main Volume** level to around **60**, to obtain the optimum recording quality.

Realtek Audio Console	- 6 8	Figure 2 - 17
Main	Main Volume	Realtek Audio
Playback Devices	Microphone Boost	Console (Microphone)
Recording Devices		
Marophone	Microphone Effects	
	Noise suppression reduces ambient stationary noises, i.e. Notebook PC fan, air condition fan noise, thus improving speech intelligibility and reducing lister	
	Off	
	AEC removes the acoustic echo coupled into the microphones from the loudspeaker output thru air. Off	
	The function will become valid starting from the not recentling.	
	Default Format	
	Select the sample rate and bit depth to be used when running in shared mode.	
	48000Hz 168its v Reset	
O Device advanced settings		
- Contraction		
Information		


Figure 2 - 18

Realtek Audio Console - Device

Advanced Settings

Realtek Audio Console - Device Advanced Settings

Device Advanced Settings allows for further configuration of the **Connector** and **Recording Device**.





2 - 18 Realtek Audio Console

Overview 3 - 1

Power Management

Chapter 3: Power Management

Overview

To conserve power, especially when using the battery, your computer power management conserves power by controlling individual components of the computer (the monitor and hard disk drive) or the whole system. This chapter covers:

- The Power Sources
- Turning On the Computer
- Power Plans
- Power-Saving States
- Configuring the Power Buttons
- Battery Information

The computer uses enhanced power saving techniques to give the operating system (OS) direct control over the power and thermal states of devices and processors. For example, this enables the OS to set devices into low-power states based on user settings and information from applications.

Ø OS Note

Power management functions will vary slightly depending on your operating system. For more information it is best to refer to the user's manual of your operating system.



Forced Off

ß

If the system "hangs", and the **Ctrl + Alt + Del** key combination doesn't work, press the power button for **4 seconds**, or longer, to force the system to turn itself off.

The Power Sources

The computer can be powered by either an AC/DC adapter or a battery pack.

AC/DC Adapter

Use only the AC/DC adapter that comes with your computer. The wrong type of AC/DC adapter will damage the computer and its components.

- 1. When first setting up the computer use the following procedure (as to safeguard the computer during shipping, the battery will be locked to not power the system until first connected to the AC/DC adapter and initially set up as below):
 - Attach the AC/DC adapter cord to the DC-In jack on the left of the computer, then plug the AC
 power cord into an outlet, and connect the AC power cord to the AC/DC adapter and the battery
 will now be unlocked.
- 2. Raise the lid/LCD to a comfortable viewing angle.
- 3. Press the power button to turn "On".

Battery

The battery allows you to use your computer while you are on the road or when an electrical outlet is unavailable. Battery life varies depending on the applications and the configuration you're using. To increase battery life, let the battery discharge completely before recharging (see "*Battery FAQ*" on page 3 - 21).

We recommend that you do not remove the battery. For more information on the battery, please refer to "*Battery Information*" on page 3 - 16.

Turning On the Computer

Now you are ready to begin using your computer. To turn it on simply press the power button on the front panel.

When the computer is on, you can use the power button as a Stand by/Hibernate/ Shutdown hot-key button when it is pressed for less than 4 seconds (pressing and holding the power button for longer than this will shut the computer down). Use Power Options (Hardware and Sound) in the Windows control panel to configure this feature.



LCD must be open.



Power Button as Stand by or Hibernate Button


You can use the OS's "Power Options" control panel to set the power button to send the system into Stand by or Hibernate mode (see your OS's documentation, or "Configuring the Power Buttons" on page 3 - 9 for details).


Shutting the Computer Down

Note that you should always shut your computer down by choosing the **Shut down** command as this will help prevent hard disk or system problems. Use the **Power (**) item in the **Start Menu** and select **Shut down**.

You can also use the **context menu** (right-click the Start Menu \blacksquare icon or press the Windows logo \blacksquare + X key combination) to Sign out, Sleep, Hibernate, Shut down, and Restart.

If you want to add Hibernate/Sleep to the Power Menu see "Adding Hibernate/ Sleep (Modern Standby) to the Power Menu" on page 3 - 10.






3 - 4 Shutting the Computer Down

Power Plans

The computer can be configured to conserve power by means of **power plans (Control Panel > Power Options)**. You can use (or modify) an existing **power plan**, or create a new one.

The settings may be adjusted to set the **display** to turn off after a specified time, and to send the computer into **Sleep** after a period of inactivity.

Click *Change plan settings* and then click *Change advanced power settings* to access further configuration options in **Advanced Settings**.



Resuming Operation


See **Table 3 - 1**, **on page 3 - 11** for information on how to resume from a power-saving state.

Password

It is recommended that you enable a password on system resume in order to protect your data.

Figure 3 - 2 Power Plan Advanced Settings Each *Windows* **power plan** will also adjust the processor performance of your machine in order to save power. This is worth bearing in mind if you are experiencing any reduced performance (especially under DC/battery power).

Choose **High performance** (you may need to click **Show additional plans** to view the High performance plan) for maximum performance when the computer is powered from an AC power source. Choose the **Power saver** (bear in mind that this scheme may slow down the overall performance of the computer in order to save power) for maximum power saving when the computer is battery (DC power) powered.



Power-Saving States

You can use power-saving states to stop the computer's operation and restart where you left off. *Windows 10* uses the **Sleep**, **Hibernate** and **Shut Down** power-saving states.

Sleep (Modern Standby)

This system supports **Sleep mode as Modern Standby**. In this case the system will continue to download mail, Windows updates, calendar updates and even VoIP calls **via a Windows Store app**, even when the system is in **Sleep (Modern Standby)** mode, in much the same way as a smartphone.

In Sleep (Modern Standby) all of your work, settings and preferences are saved to memory before the system sleeps. When you are not using your computer for a certain length of time, which you specify in the operating system, it will enter Sleep (Modern Standby) to save power.

The PC wakes from **Sleep (Modern Standby) within seconds** and will return you to where you last left off (what was on your desktop) without reopening the application(s) and file(s) you last used.

If your mobile PC in **Sleep (Modern Standby)** is running on battery power the system will use only a minimum amount of power. After an extended period the system will save all the information to the HDD/SSD and shut the computer down before the battery becomes depleted. To add **Sleep** (Modern Standby) to the **Power Menu** see page *3* - *10*.

Hibernate

Hibernate uses the least amount of power of all the power-saving states and saves all of your information on a part of the hard disk before it turns the system off. If a power failure occurs the system can restore your work from the hard disk; if a power failure occurs when work is saved only to memory, then the work will be lost. Hibernate will also return you to where you last left off within seconds. You should put your mobile PC into **Hibernate** if you will not use the computer for a period of time, and will not have the chance to charge the battery. To add Hibernate to the Power Menu see page 3 - 10.

Shut down


You should **Shut down** the computer if you plan to install new hardware, plan to be away from the computer for several days, or you do not need it to wake up and run a scheduled task. Returning to full operation from Shut down takes longer than from Sleep or Hibernate.





Configuring the Power Buttons

The power/sleep button (Fn + F12 key combo) and closed lid may be set to send the computer in to a power-saving state. Click **Choose what the power buttons do** on the left menu in **Power Options** to bring up the menu.



Password Protection It is recommended that you enable a password on wake up in order to protect your data.

However you can disable this setting from the **Power Options** menu by clicking **Require a password on wakeup** in the left menu, and selecting the options (click **Change settings that are currently unavailable**).

> Figure 3 - 5 Power Options Define Power Buttons

Adding Hibernate/Sleep (Modern Standby) to the Power Menu Add Hibernate/Sleep to the Power Menu as follows.

- Go to the Power Options (Hardware and Sound) control panel. 1.
- 2. Click "Change settings that are currently unavailable" * Change settings that are currently unavailable.
- 3. Click Choose what the power buttons do.
- 4. Click to put a check in the **Hibernate/Sleep** box under **Shutdown settings**.
- 5. Click Save Changes and close the control panel.

	Choose the power settings that you want fo page of prior all of your power plans. Change settings that are currently unava Power and settings that are currently unava		nutdown settings
<i>Figure 3 - 6</i> Power Options Define Power Buttons - Shutdown Settings	Power and steep buttons and steep button:	Pk Sleep Sleep	 Turn on fast startup (This helps start your PC Sleep Show in Power menu. Hibernate Show in Power menu. Lock Show in account picture

Resuming Operation

You can resume operation from power-saving states by pressing the power button, or in some cases pressing the sleep button (Fn + F12 key combo).

Power Status	lcon ₽/IJ Color	To Resume
Power Off	Off	Press the Power Button
Sleep		Press the Power Button
(Modern Standby)	Blinking Green	Press the Sleep Button (Fn + F12 Key Combo)
Hibernate	Off (battery)	Press the Power Button
Tiberriate	Orange (AC/DC adapter)	
Display Turned Off	Green	Press a Key or Move the Mouse/Touchpad

Table 3 - 1ResumingOperation

Ø

Power Button

When the computer is on, you can use the power button as a Sleep/Hibernate/Shut Down hot key button when it is pressed for less than **4 seconds** (pressing and holding the power button for longer than this will force the computer to shut down).

Ø

Closing the Lid

If you have chosen to send the computer to **Sleep (Modern Standby)** when the lid is closed, raising the lid will wake the system up.

Configuring the Power Buttons 3 - 11

Ctrl + Alt + Delete Key Combination

You can use the CTRL + ALT + DEL key combination from almost any of the *Win-dows 10* interfaces/Apps to bring up a full-screen displaying Lock, Switch User, Sign out, Change a password and Task Manager options. If you click the Power icon in the lower right corner of the screen a power management option menu appears to display Sleep (Modern Standby), Shut down, and Restart.


	Lock	
	Switch user	
	Sign out	
	Change a password	
	Task Manager	
	Cancel	
		200

To fully control all the power options (including Hibernate mode) go to the **Power Options** control panel and configure the power button, sleep button and lid to perform the function selected.

Figure 3 - 7 Ctrl + Alt + Delete Menu

Settings Menu Power Controls

The **Settings** item in the **Start Menu** (or via the **Action Center**) gives you access to a number of power settings control panels which enable you to quickly adjust power options. Click **System** to access the menu including the power option settings.



Settings Menu Power Controls 3 - 13

Battery Saver

Battery in Settings will display the battery level, and by clicking **Battery usage by** app you can see the current state of battery usage by application etc. The Battery saver can be level can be adjusted to be turned on if the battery level falls below a certain level to limit background activity and push notifications.




Figure 3 - 10 Settings > Battery > **Battery Saver**

Power & Sleep

Power & sleep gives you quick access to **Screen** and **Sleep** settings. Click **Additional power settings** to go to the main power options control panel.

← Settings	- 0 ×
යි Home	Power & sleep
Find a setting	Screen
System	On battery power, turn off after
	2 minutes
Display	When plugged in, turn off after
0 Sound	5 minutes V
Notifications & actions	
) Focus assist	Sleep
) Power & sleep	On battery power, PC goes to sleep after
D Battery	10 minutes V
	When plugged in, PC goes to sleep after
⊐ Storage	15 minutes V
B Tablet mode	
li Multitasking	Save energy and battery life
P Projecting to this PC	Make your battery last longer by choosing shorter times for screen and sleep settings
Shared experiences	
Clipboard	Related settings Additional power settings
Remote Desktop	

Figure 3 - 11 Settings > Power & Sleep



When the battery is critically low, immediately connect the AC/DC adapter to the computer or save your work, otherwise, the unsaved data will be lost when the power is depleted.

Figure 3 - 12 Battery Icon (Notification Area) & Battery Advanced Settings


Battery Information

Follow these simple guidelines to get the best use out of your battery.

Battery Power

Your computer's battery power is dependent upon many factors, including the programs you are running, and peripheral devices attached. You can set actions to be taken (e.g. Shut down, Hibernate etc.), and set critical and low battery levels from power plan Change plan settings > Change advanced power settings (see *Figure 3 - 3 on page 3 - 6*).

Click the battery icon in the notification area to see the current battery level and charge status (you can also click **Power & sleep settings** to access the **Settings** menu to quickly adjust power settings).



Power Slider Settings

Battery Saver	Better Battery	Better Performance	Best Performance
Power mode (on battery): Battery save	Power mode (on battery): Better battery 50 ter (story lie- 1000 per protection of the story lie- 1000 per	Hours A newales Hours A newales Hower mode (on battery): Better performance Static largery (in bet) performance	Fower moder (on battery): Best performance
For DC Only		For AC & DC	
Lowest Power Setting	Lower Power than Default Settings	Slightly Favors Performance Over Power	Favors Performance Over Power
Windows Features Throttled & Screen Brightness Reduced	Default Position		
Auto Enabled at 20% of Battery Capacity			

Battery Saver

Ø

Note that some Windows features and background applications may behave differently, or may be blocked, when the system is in Battery Saver mode (check with Microsoft for details).

Table 3 - 2Power SliderSettings & Notes

ß



on battery status, power plans used and wireless device status etc.

Conserving Battery Power

- Use a **power plan** that conserves power (e.g **Power saver**), however note that ٠ this may have an affect on computer performance.
- Lower the brightness level of the LCD display. The system will decrease LCD brightness slightly to save power when it is not powered by the AC/DC adapter.
- Reduce the amount of time before the display is turned off. ٠
- Close wireless, Bluetooth, modem or communication applications when they are not being used.
- Disconnect/remove any unnecessary external devices e.g. USB devices, • ExpressCards etc.




Figure 3 - 13 Windows Mobility Center (Control Panel)

Battery Life

Battery life may be shortened through improper maintenance. To optimize the life and improve its performance, fully discharge and recharge the battery at least once every 30 days.

We recommend that you do not remove the battery yourself as the removal of the bottom cover may violate the terms of your warranty.

New Battery

Always completely discharge, then fully charge, a new battery (see "*Battery FAQ*" *on page 3 - 21* for instructions on how to do this).

Recharging the Battery with the AC/DC Adapter

The battery pack automatically recharges when the AC/DC adapter is attached and plugged into an electrical outlet. If the computer is powered on, and in use, it will take several hours to fully recharge the battery. When the computer is turned off but plugged into an electrical outlet, battery charge time is less. Refer to "*LED Indicators*" on page 1 - 8 for information on the battery charge status, and to "*Battery FAQ*" on page 3 - 21 for more information on how to maintain and properly recharge the battery pack.

泛

Caution

Danger of explosion if battery is incorrectly replaced.

Replace only with the same or equivalent type recommended by the manufacturer. Discard used battery according to the manufacturer's instructions.

Proper handling of the Battery Pack

- DO NOT disassemble the battery pack under any circumstances
- DO NOT expose the battery to fire or high temperatures, it may explode
- DO NOT connect the metal terminals (+, -) to each other

泛

Damaged Battery Warning


Should you notice any physical defects (e.g. the battery is bent out of shape after being dropped), or any unusual smells emanating from the notebook battery, shut your computer down immediately and contact your distributor/supplier. If the battery has been dropped we do not recommend using it any further, as even if the computer continues to work with a damaged battery in place, it may cause circuit damage, which may possibly result in fire. It is recommended that you replace your computer battery every two years.


Battery FAQ

How do I completely discharge the battery?

Use the computer with battery power until it shuts down due to a low battery. Don't turn off the computer even if a message indicates the battery is critically low, just let the computer use up all of the battery power and shut down on its own.

- 1. Save and close all files and applications.
- 2. Create a power plan for discharging the battery and set all the options to Never.






3. Click Change plan settings (after creating it) and click Change plan settings > Change advanced power settings.

Figure 3 - 15 Change Plan Settings / Change Advanced Power Settings

A 198				
T 👔). Control Pan	el) All Control Panél Items > Power Options	~ 0	Search Control Rum	
Control Panel Home	A power plan is a collection of naroware and systematic manages how your computer uses power. To			, sieep, eo
Require a password on wakeup	Plans shown on the battery meter			
Choose what the power buttons do	Discharge Battery		Change pla	n settinos
Choose what closing the lid does	 Power saver Saves energy by reducing your computers 	performance	Change pla where possible.	n settings
Create a power plan				
Choose when to turn off the	Hide additional plans			
display	O Balanced (recommended)		Change pla	n settings
Change when the computer sleeps	Automatically balances performance with	energy consum	option on capable ha	rdware.
	O High performance		Change pla	n settings
Seguration,	Favors performance, but may use more ene	ergy.		
Restonalization				
Windows Mobility Center	Screen brightness: 🕸 🚽			
P Edit Plan Settings			- 1	x c
	ions # Edit Plan Settings	- 0 -	aven Čentrol Paris	p
T, R = Hower Opt				
Change settings	for the plan: Discharge Battery display settings that you want your computer to use.			
Change settings		Plugged in		
Change settings	d deplay settings that you want your computer to use.	Plugged in		
Change settings Choose the sleep and	d display settings that you want your computer to use.	Plugged in	-	
Change settings Choose the size and I fum off the dap	I display settings that you want your computer to use. On battery Ray: Never - Never It to sleep: Never - Never	Pugged in		
Change settings Choose the size and I fum off the data Fut the compute	d skolay settings that you want your computer to use. C n battery // // // // // // // // // // // // //	Plugged in	11 21	

- 4. Scroll down to **Battery** and click + to expand the battery options.
- 5. Choose the options below (click **Yes** if a warning appears):



- Low battery levels = 0%
- Critical battery Levels = 1%
- Low battery action = Do Nothing
- Critical battery action (On battery) = Shut Down
- Critical battery action (Plugged in) = Do Nothing

Figure 3 - 16 **Power Options Advanced Settings -Battery**

How do I fully charge the battery?

When charging the battery, don't stop until the LED charging indicator light changes from orange to green.

How do I maintain the battery?

Completely discharge and charge the battery at least once every 30 days or after about 20 partial discharges.

Chapter 4: Drivers & Utilities

This chapter deals with installing the drivers and utilities essential to the operation or improvement of some of the computer's subsystems. The system takes advantage of some newer hardware components for which the latest versions of most available operating systems haven't built in drivers and utilities. Thus, some of the system components won't be auto-configured with an appropriate driver or utility during operating system installation. Instead, you need to manually install some system-required drivers and utilities.

What to Install

You will need to attach an external optical CD/DVD device drive to install the drivers from the *Device Drivers & Utilities* + *User's Manual* disc. The disc contains the drivers and utilities necessary for the proper operation of the computer. *Table 4 - 1, on page 4 - 4* lists what you need to install and it is very important that the drivers are installed by the method outlined in this chapter, and in the order indicated. Note that the information on the following pages is for *Windows 10 (64-bit) only*.

Module Driver Installation

The procedures for installing drivers for the **Wireless LAN** and **Combination Blue-tooth & WLAN** modules are provided in *"Modules & Options" on page 6 - 1*.

迩

Driver Installation & Power

When installing drivers make sure your computer is powered by the AC/DC adapter connected to a working power source. Some drivers draw a power during the installation procedure, and if the remaining battery capacity is not adequate this may cause the system to shut down and cause system problems (note that there is no safety issue involved here, and the battery will be rechargeable within 1

Driver Installation

- 1. Insert the Device Drivers & Utilities + User's Manual disc into an attached DVD drive.
- 2. Click the message "Tap to choose what happens with this disc."
- 3. Click Run autorun.exe.
- 4. Click Install Drivers (button), or Option Drivers (button) to access the Optional driver menu.



Figure 4 - 1 - Drivers Installer Screen 1

- 5. Check the driver installation order from *Table 4 1, on page 4 4* (the drivers must be installed in this order) which is the same as that listed in the *Drivers Installer* menu below.
- 6. Click to select the driver you wish to install, (you should note down the drivers as you install them).
- 7. Follow the instructions for each individual driver installation procedure as listed on the following pages.



Figure 4 - 2 - Install Drivers

Win 10 Drivers (64-bit) System Required	Page #	Win 10 Drivers (64-bit) Other / Options	Page #
Chipset	Page 4 - 7	Intel® Optane™	Page 6 - 2
Serial IO	Page 4 - 7	Wireless LAN	Page 6 - 5
Video (VGA)	Page 4 - 7	Bluetooth	Page 6 - 10
CardReader	Page 4 - 8	Intel® Software Guard Extensions Driver	Page 6 - 16
Intel® HID Filter Driver	Page 4 - 8	Intel® Rapid Storage Technology	Page 6 - 17
Control Center	Page 4 - 8	PC Camera Module (No driver required)	Page 6 - 28
MEI Driver	Page 4 - 8	IR Camera (No driver required)	Page 6 - 35
Intel® Dynamic Platform Driver	Page 4 - 8	Trusted Platform Module (No driver required)	Page 6 - 40
ANX Driver	Page 4 - 8		·
Audio	Page 4 - 8		

Table 4 - 1 - Driver Installation

All drivers provided are for Windows 10 (64-bit).

Note that you need to install both the WLAN & Bluetooth drivers for the WLAN & Bluetooth Combo modules.

4 - 4 Driver Installation

Manual Driver Installation

Click *Browse CD/DVD* (button) in the *Drivers Installer* application and browse to the executable file in the appropriate driver folder.

Windows Update

After installing all the drivers make sure you enable Check for updates (Settings > Update & security > Check for updates) in order to get all the latest security updates etc. (all updates will include the latest hotfixes from Microsoft). See *"Windows Update" on page 4 - 9* for instructions.

Updating/Reinstalling Individual Drivers

If you wish to update/reinstall individual drivers it may be necessary to uninstall the original driver. To do this go to the **Control Panel** in the *Windows OS* and double-click the **Programs** icon (**Programs** > **Uninstall a program**). Click to select the driver (if it is not listed see below) and click **Uninstall**, and then follow the on screen prompts (it may be necessary to restart the computer). Reinstall the driver as outlined in this chapter.

If the driver is not listed in the **Programs and Fea**tures menu:

- 1. Go to the **Control Panel**).
- Double-click Device Manager (Hardware and Sound > Devices and Printers > Device Manager).
- 3. Double-click the **device** you wish to update/reinstall the driver for (you may need to click "+" to expand the selection).
- 4. Click **Driver** (tab) and click the **Update Driver** or **Uninstall** button and follow the on screen prompts.

User Account Control

If a User Account Control prompt appears as part of the driver installation procedure, click Continue or Allow, and follow the installation procedure as directed.

Windows Security Message

If you receive a *Windows* security message as part of the driver installation process. Just click "*Install this driver software anyway*" or "*Install*" to continue the installation procedure.

You will receive this message in cases where the driver has been released after the version of *Windows* you are currently using. All the drivers provided will have already received certification for *Windows*.

New Hardware Found

If you see the message "New Hardware Found" during the installation procedure (other than when outlined in the driver install procedure), click Cancel to close the window, and follow the installation procedure.

Driver Installation General Guidelines

The driver installation procedure outlined in this Chapter (and in **Chapter 7 Options & Modules**), are accurate at the time of going to press.

Drivers are always subject to upgrade and revision so the exact procedure for certain drivers may differ slightly. As a general guide follow the default on screen instructions for each driver (e.g. **Next > Next > Finish**) unless you are an advanced user. In many cases a restart is required to install the driver.

Make sure any modules (e.g. WLAN or Bluetooth) are **ON (i.e. the system is not in Airplane Mode)** before installing the appropriate driver.

Driver Installation Procedure

Insert the *Device Drivers & Utilities* + *User's Manual disc* and click *Install Drivers* (button).

Chipset

- 1. Click **1.Install Chipset Driver > Yes**.
- 2. Click Next > Accept > Install.
- 3. Click Restart Now to restart the computer.

Serial IO

- 1. Click 1.Install Serial I/O Driver > Yes.
- 2. Click Next.
- 3. Click the button to accept the license agreement and click **Next**.
- 4. Click Next > Next.
- 5. Click **Finish** to restart the computer.

Video (VGA)

- 1. Click **3.Install VGA Driver > Yes**.
- 2. Click Next > Yes > Next > Next.
- 3. Click **Finish** to restart the computer.

- 4. **Intel Graphics Control Panel** will download but you will need to have a working internet connection.
- 5. Click the **Start** menu in Windows to access the **Microsoft Store App** tile under **Explore**.
- 6. Click the Sign in icon A and select Downloads and updates.
- 7. Click Check for Updates.
- 8. A list of apps being downloaded will pop-up.
- 9. To prioritize the driver you can click **Pause all** to pause the download queue.
- 10. Click on Intel Graphics Control Panel and click on the resume icon 🕐 to download the driver.
- 11. When finished the Intel Graphics Control Panel will appear in the Windows Start menu.

Note: After installing the video driver go to the **Display/Display Settings** control panel to adjust the video settings to the highest resolution.

CardReader

- 1. Click 4.Install Cardreader Driver > Yes.
- 2. Click Finish.

- Intel® HID Filter Driver
- Click **5.Install HID Filter Driver > Yes**. 1.
- Click Next 2.
- 3. Click **Yes** to accept the license.
- Click Next 4
- 5. Click **Finish** to restart the computer.

Control Center

- Click 6.Install Ctrl Center Driver > Yes. 1.
- 2. Click Next > Install.
- Click **Finish** > **Finish** to restart the computer. 3.

MEI Driver

- Click 7.Install MEI Driver > Yes. 1
- Click Next. 2
- 3. Click the check box to accept the license and then click Next.

- 4. Click Next.
- Click Finish.

Intel[®] Dynamic Platform Driver

- Click 8.Install DPTF Driver > Yes.
- 2 Click Next.
- 3. Click **Yes** to accept the license.
- 4. Click Next > Finish.

ANX Driver

- Click 9.Install ANX Driver > Yes.
- 2. Click **Yes > OK** to complete the installation.


Audio

- Click 10.Install Audio Driver > Yes.
- 2. Click Next.
- 3. Click **Finish** to restart the computer.
- 4. Realtek Audio Control Panel will download but you will need to have a working internet connection

Drivers & Utilities

- 5. Click the **Start** menu in Windows to access the **Microsoft Store App** tile under **Explore**.
- 6. Click the Sign in icon A and select Downloads and updates.
- 7. Click Check for Updates.
- 8. A list of apps being downloaded will pop-up.
- 9. To prioritize the Realtek audio driver you can click **Pause all** to pause the download queue.
- 10. Click on **Realtek Audio Control** and click on the resume icon ◯ to download the driver.
- 11. When just installed the **Realtek Audio Con**sole will appear in the **Windows Start** menu.

After installing the audio driver the system will not return to the **Drivers Installer** screen. To install any of the optional drivers, eject the *Device Drivers & Utilities* + *User's Manual* disc and then reinsert it (or double-click the disc icon in My Computer), and click **Option Drivers** (button) to access the optional driver menu.



- 3. Click Check for updates (Windows Update).
- 4. The computer will now check for updates (you need to be connected to the internet).
- 5. The system will install any available updates.

Drivers & Utilities

Optional Drivers

See the pages indicated in *Table 4 - 1, on page 4 - 4* for the driver installation procedures for any modules included in your purchase option.



Figure 4 - 3 - Optional Drivers Installer Screen

Note that you need to install both the WLAN & Bluetooth drivers for the WLAN & Bluetooth Combo modules

Chapter 5: BIOS Utilities

Overview

This chapter gives a brief introduction to the computer's built-in software **BIOS** (Basic Input/Output System).

If your computer has never been set up, or you are making important changes to the system (e.g. hard disk setup), then you should review this chapter first and note the original settings found in **BIOS**. Even if you are a beginner, keep a record of the settings you find and any changes you make. This information could be useful if your system ever needs servicing.

There is one general rule: *Don't make any changes unless you are sure of what you are doing*. Many of the settings are required by the system, and changing them could cause it to become unstable or worse. If you have any doubts, consult your service representative.

To enter BIOS, turn on the computer and press F2 as the system "Boots up".

Ň

BIOS Screens

Note that the BIOS screens pictured on these pages are intended for guidance in setting up your system's BIOS.

BIOS versions are subject to constant change and revision, therefore your computer's actual screens may appear slightly different from those pictured on these pages.



BIOS Settings Warning

Incorrect settings can cause your system to malfunction. To correct mistakes, return to *BIOS* and **Load Optimized Defaults** (press **F9**).

BIOS Menus

The menus shown in this section are for **reference** only. Your computer's menus will indicate the configuration appropriate for your model and options.

The Insyde BIOS Utility

Each time you turn on the computer the system takes a few seconds to conduct a including a quick test of the on-board RAM (memory).

As the boot process proceeds, the computer will tell you if there is anything wrong. If there is a problem that prevents the system from booting, it will display a system summary and prompt you to run the BIOS setup.

If there are no problems the system will load the operating system. Once that starts, you can't get into *BIOS* without rebooting.

The **Setup BIOS Utility** tells the system how to configure itself by translating instructions from the operating system, and other software, into instructions that the computer hardware understands. manage basic features, identify installed devices and subsystems (e.g. port configuration).

UEFI Boot

UEFI (Unified Extensible Firmware Interface) is an advanced firmware standard supporting fast startup.

With UEFI Boot prompts at boot to press F2 (to access the BIOS) or F7 (to access Boot options) will not appear. However you can still press F2 to enter the setup, or F7 to choose the preferred boot device, if you press the key immediately the system boots up.

To enter BIOS, turn on the computer and press F2 as the system "Boots up".

If the computer is already on, reboot using the Ctrl + Alt + Delete combination and then hold down F2 when prompted. The *BIOS* main menu will appear. To see the boot options press F7 and choose your preferred boot device.

Insyde BIOS Start Screen

On accessing the BIOS you will be presented with the Start Screen with 5 menu icons, date and time information, CPU temperature information and navigation and Help icons at the bottom of the screen.

You can use the Touchpad, an attached mouse, or the cursor/arrow keys to navigate the menus and press *Enter* to access the submenu.



Figure 5 - 1 Insyde BIOS Start Screen

5 - 4 Insyde BIOS Start Screen

Insyde BIOS Start Screen Options:

- **Continue**: Press *Enter* here or click *Continue* to carry on with the boot process and load the operating system.
- **Boot Manager**: Press *Enter* here or click *Boot Manager* to access the Boot Manager utility.
- **Boot From File**: Press *Enter* here or click *Boot From File* to select a file or device to Boot from.
- Administer Secure Boot: Press *Enter* here or click *Administer Secure Boot* to proceed with a Secure Boot process. This will take you to the Secure Boot screen which allows you to manage secure boot settings.
- Setup Utility: Press *Enter* here or click *Setup Utility* to access the BIOS settings in the Setup Utility.

Note to return to the Start Screen from any of the submenus press the Esc key.

Boot Manager

Figure 5 - 2 **Boot Manager**

BIOS Screens

Note that the BIOS screens pictured on these pages are intended for guidance in setting up your system's BIOS.

BIOS versions are subject to constant change and revision, therefore your computer's actual screens may appear slightly different from those pictured on these pages.



When you turn the computer on it will look for an operating system from the devices listed in this menu, and **in this priority order**. If it cannot find the operating system on that device, it will try to load it from the next device in the order specified in the **Boot Option Menu**.

Press Enter to access the menu, use the arrow keys to move up and down the menu, and press Enter to select a device.

Boot From File / File Explorer



Figure 5 - 3 Boot From File (File Explorer)

5

If you need to boot from a file (e.g. on a USB flash drive) then access this menu and use the cursor keys to select the device or file (you can press *Enter* to explore for a file on an attached device).

Administer Secure Boot

Intellity Constraints (Constraints) 23 Goine DRAM Frequency: 2200 MHz Memory Size: 8192 MB	1.07.P1) тно тно	55		
🎯 Administer Secur	e Boot	-	_		
System Status:					
Secure Boot Database	Unlocked		Erase all 🔯		
Secure Boot Status	Disabled		Settings		
 User Customized Security 	NO		Enable this option will erase all Secure Boot Settings. This action will clear four variables PK. KEK, db, and dbx.		
Options:			-		
Select a UEFI file as trus	ted for execution \mathcal{R}		8		
Enforce Secure Boot		Disabled >			
Erase all Secure Boot Set	tings	Disabled >	~		

Secure Boot prevents unauthorized operating systems and software from loading during the startup process. You can select a trusted UEFI file to execute the BIOS, make sure that you Enforce Secure Boot, Erase all Secure Boot Settings or Restore the Factory Settings.

Figure 5 - 4 Administer Secure Boot You can also make custom changes to the Key Management database if required by accessing the advanced secure boot options for Platform Key (PK Options), Key Exchange Key (KEK Options), Allowed Signatures Database (DB Options) and Forbidden Signatures Database (DBX Options).

Erase all Secure Boot Settings		Disabled	*	Erase all	
Restore Secure Boot to Fact	cory Settings	Disabled	*	Secure Boot Settings	
PK Options KEK Options				Enable this option will e Secure Boot Settings. T will clear four variables db, and dbx.	his action
DB Options				U	






Figure 5 - 6

Main (Upper)





SATA Port # (Main Menu)

Pressing **Enter** opens the sub-menu to show the configuration of devices (e.g. SSD) on the computer's SATA Ports.

System Time & System Date (Main Menu)

The hour setting uses the 24-hour system (i.e., $\emptyset\emptyset = \text{midnight}$; 13 = 1 pm). If you can change the date and time settings in your operating system, you will also change these settings. Some applications may also alter data files to reflect these changes.

System/Extended Memory: (Main Menu)

This item contains information on the system memory, and is not user configurable. The system will auto detect the amount of memory installed.

ME FW Version / MB Series / BIOS Revision / KBC/EC firmware Revision This item contains information on the BIOS version and is not user configurable. 5

Setup Utility - Advanced Menu



Advanced Menu

The Advanced menu provides settings for Advanced Chipset Control (see over), Intel Rapid Storage Technology, the SATA Mode, Power on Boot Beep and Battery Low Alarm Beep.

Figure 5 - 7 Advanced Menu

Advanced Chipset Control (Advanced Menu)

The sub-menu here allows you to enable/disable the **Flexicharger**, **Software Guard Extensions**, **VT-d** and **UEFI OS Fast Boot**.



Figure 5 - 8 Advanced Chipset Control Menu

5

Setup Utility - Advanced Menu 5 - 13



FlexiCharger Warning

If you leave the FlexiCharger continuously **"Enabled**" for a period of three months or more, the battery meter's reading accuracy will deteriorate.

To reset this, set the FlexiCharger to **"Disabled**", and then allow the battery to completely discharge (see **"Battery FAQ" on page 3 - 21**) before enabling the function again.

Figure 5 - 9 Advanced Chipset Control > FlexiCharger

FlexiCharger (Advanced Menu > Advanced Chipset Control)

The sub-menu here allows you to enable/disable the **FlexiCharger**. The FlexiCharger may be set to automatically start charging your battery when the battery reaches a certain capacity level (e.g. you could start the battery charge level at 40%).

You can then set the level to stop charging (e.g. 100%), and of course this stop charge level must be higher then the start charge level.

See the sidebar warning for information on running the FlexiCharger for an extended period as this is not recommended.

FlexiCharger	Enabled	>
Start Charge	95%	>
Stop Charge	100%	>

Software Guard Extensions (SGX) - (Advanced Menu > Advanced Chipset Control) Intel provides SGX, which is a set of instructions allowing user-level code a degree of security, and privacy, from the operating system. Make sure that SW Guard Extensions is Enabled in the BIOS before installing the driver (see "Intel® Software Guard Extensions Driver" on page 6 - 16).

VT-d (Advanced Menu > Advanced Chipset Control)

Enable/disable Intel® Virtualization Technology for Directed I/O (VT-d) from this menu. This extends Intel's Virtualization Technology (VT) by providing hardware assists for a virtualization solution.

UEFI OS Fast Boot(Advanced Menu > Advanced Chipset Control)

Use this menu item to enable/disable the Fast Boot option, which when enabled, helps reduce the time it takes to boot the computer.

Intel(R) Rapid Storage Technology (Advanced Menu)

This menu allows you to manage volumes configured for Intel® OptaneTM (see "Intel® OptaneTM" on page 6 - 2 for details). Make sure you install the Intel Rapid Storage Technology application to support the system (see "Intel® Rapid Storage Technology" on page 6 - 18).

SATA Mode (Advanced Menu)

The SATA (Serial ATA) control is configured to operate in Intel RST Premium With Intel Optane (for Intel® OptaneTM) mode.

Power On Boot Beep (Advanced Menu)

Use this menu item to enable/disable the beep as the computer starts up.

Battery Low Alarm Beep (Advanced Menu)

Use this menu item to enable/disable the battery low alarm beep.

BIOS Utilities

Security Menu

ß

The changes you make here affect the access to the **BIOS** utility itself, and also access to your machine as it boots up after you turn it on. These settings do not affect your machine or network passwords which will be set in your software OS.

> *Figure 5 - 10* Security Menu

Setup Utility - Security Menu



Set Supervisor Password (Security Menu)

You can set a password for access to the **BIOS**. This will not affect access to the computer OS (only the **BIOS**). An on-screen keyboard is available to assist with keyboard input.

Note: To clear existing supervisor passwords press **Enter** and type the existing password, then press **Enter** for the new password (without typing any password entry) and **Enter** again to confirm the password clearance. To clear a user password just click on **Clear User Password**.

Set User Password (Security Menu)

You can set a password for user mode access to the **BIOS**. This will not affect access to the computer OS, (only the *Setup* utility) unless you choose to set a *Password on Boot* (see below). Some menu items in the **BIOS** cannot be modified in user mode.

Note: You can only set the user password after you have set the supervisor password.

Power on Password: (Security Menu)

Specify whether or not a password should be entered to boot the computer (you may only set a Power on Password if a supervisor password is enabled). If "*Enabled*" is selected, only users who enter a correct password can boot the system (see the warning in the sidebar). The default setting is "*Disabled*".

迩

Password Warning

If you set a boot password (Password on boot is "Enabled"), **NEVER** forget your password.

The consequences of this could be serious. If you cannot remember your boot password you must contact your vendor and you may lose all of the information on your hard disk.

TPM Configuration (Security Menu)

This sub-menu will allow you to enable/disable Trusted Platform Module (TPM) support, and to configure the TPM State. Select **TPM Configuration** and press Enter to access the sub-menu. Press Enter to access the **Security Device Support** menu and select **Enable** to support TPM. To reset the TPM select **Clear TPM** to clear existing TPM information (see *"Trusted Platform Module" on page 6 - 40*).



Figure 5 - 11 Security Menu TPM Configuration

Setup Utility - Boot Menu



沁

BIOS Screens

Note that the BIOS screens pictured on these pages are intended for guidance in setting up your system's BIOS.

BIOS versions are subject to constant change and revision, therefore your computer's actual screens may appear slightly different from those pictured on these pages.

> Figure 5 - 12 Boot Menu

EFI (Boot Menu) Press Enter to Enable/Disable any available device from which to boot under EFI.

Setup Utility - Exit Menu

Figure 5 - 13 Exit Menu



Click *Exit Saving Changes* (or press F10) to save all changes made and exit the BI-OS. Choosing *Exit Discarding Changes* will wipe out any changes you have made to the *Setup* and exit the BIOS. You can also choose to **Load Optimal Defaults** (or press F9) to return the *BIOS* to its original state, and erase any previous changes you have made in a previous session. Select **Discard Changes** to cancel any changes made in the current session.

Modules & Options

Chapter 6: Modules & Options Overview

This chapter contains information on the following modules, which may come with your computer, depending on the configuration purchased. If you are unsure please contact your service representative.

- Intel[®] Optane[™]
- Wireless LAN
- Bluetooth
- Intel® Software Guard Extensions Driver
- Intel® Rapid Storage Technology
- PC Camera Module
- IR Camera
- Trusted Platform Module

eless De

Wireless Device Operation Aboard Aircraft

The use of any portable electronic transmission devices aboard aircraft is usually prohibited. Make sure the WLAN & Bluetooth module(s) are OFF (or the system is in Airplane Mode) if you are using the computer aboard aircraft (see Table 1 - 2, on page 1 - 10).

Modules & Options

Intel® Optane™

Intel® OptaneTM is a combination of a compatible memory device and **Intel Rapid Technology software**. This combination is designed to speed up your system performance by caching boot data, executables, frequently accessed data and system page files to an non volatile, low latency Intel® OptaneTM SSD.

Contact your distributor or supplier to see if your system supports this technology (you should have a system SSD and an Intel® Optane[™] SSD present).

Intel® Rapid Storage Technology Application

Make sure you install the Intel® Rapid Storage Technology application if you have set up your system in Intel RST Premium With Intel Optane (for Intel® OptaneTM) mode (see "Intel® Rapid Storage Technology" on page 6 - 17).

Intel® Optane[™] Setup Procedure

After initial setup make sure you install the **Intel Rapid Storage Technology driver** - see "*IRST Driver Installation*" on page 6 - 17).

You need to setup Intel® OptaneTM before installing your *Windows 10* operating system, and you will need to prepare the following in order to do so.

- The Microsoft Windows 10 OS DVD or loaded on a bootable USB flash drive.
- An Intel[®] Optane[™] SSD and a system SSD installed in your system.
- The Device Drivers & Utilities + User's Manual disc.
- Start up the computer and press <F2> as the computer starts up and select Boot Manager, however ensure that the condition in the bulleted point below is met before doing so.
- Make sure the *Windows 10* OS DVD is in an attached DVD drive, or is loaded on a bootable USB flash drive in one of the USB ports, as the computer starts up it will automatically boot from the *Windows 10* OS DVD/USB flash drive (you will be prompted to press a key to boot from the DVD/USB flash drive).
- 2. Click to select the DVD or USB flash drive containing the *Windows 10* OS.
- 3. Press a key at system startup to begin installing *Windows* from your *Microsoft Windows 10* disc/flash drive.
- Click Next > Install Now to continue installing the operating system as normal (see your Windows documentation if you need help on installing the Windows OS).

泛

Optane SSD Module Removal

If you need to remove an installed Optane SSD module for any reason, you must disable (see "Disabling Intel® Optane[™]" on page 6 - 24) Intel Optane before doing so.

6

Failure to disable Optane before removing an Optane SSD module will result in the system being unable to start up.

Modules & Options

泛

Creating a Windows Partition for Optane

When installing Windows on your system SSD, make sure that you leave a minimum of 5MB of unallocated space for the Intel® Optane™ software to create needed metadata.

After you have created a Windows partition the **Windows Setup** screen will display the partitions and sizes, including the unallocated space. If the unallocated space is less than 5MB, then delete the partitions and recreate them until the criteria is met.

Note this is 5MB only, not GB.

- 5. Select Custom: Install Windows only (advanced).
- 6. It is recommended that you select and then delete existing partitions.
- 7. Click "New" to create a partition for Windows on your system SSD (not on the Optane SSD).
- 8. It is very important to make sure that when you create the partition, to leave at least a minimum of unallocated space of **5MB** (see sidebar).
- 9. Follow the on-screen instructions to install the *Windows 10* operating system.
- Install the Windows drivers from the Device Drivers & Utilities + User's Manual disc as per Table 4 1, on page 4 4 (make sure you install the Intel Rapid Storage Technology driver see overleaf).
- 11. Run the Intel® Rapid Storage Technology application to enable and manage your Intel® Optane™ system as instructed in *"Intel® Rapid Storage Technology" on page 6 18*.

Wireless LAN

If your purchase option includes the **Combination Wireless LAN & Bluetooth module** then install the driver as instructed overleaf.

Make sure you install the drivers in the order indicated in *Table 4 - 1, on page 4 - 4*.

Note that you need to install both the WLAN & Bluetooth drivers for the WLAN & Bluetooth Combo modules.

See overleaf for the appropriate driver installation instructions.

泛

Wireless Device Operation Aboard Aircraft

The use of any portable electronic transmission devices aboard aircraft is usually prohibited. Make sure the WLAN & Bluetooth module(s) are OFF if you are using the computer aboard aircraft by putting the system in to Airplane Mode (see Table 1 - 2, on page 1 - 10).

Modules & Options

Intel® WLAN Driver Installation

- 1. Make sure the system is not in Airplane Mode, and then insert the *Device Drivers & Utilities + User's Manual* disc into an attached DVD drive.
- 2. Click **Option Drivers** (button).
- 3. Click 1.Install WLAN Driver > Yes.
- 4. Click in the check box to agree to the End User License Agreement and click Install.
- 5. Click Finish.
- 6. The operating system is the default setting for Wireless LAN control in *Windows* (see page 6 7).

Wireless LAN 6 - 7

WLAN Configuration in Windows 10

You can configure a wireless connection using one of the following options, however make sure the Wireless LAN module is turned on (and not in Airplane Mode) before configuration begins.

- 1. Click the Wireless icon *fa* () in the notification area of the taskbar.
- 2. Make sure that Airplane mode is off (the Airplane mode icon should be gray).
- 3. A list of available access points will appear.
- 4. Double-click an access point to connect to it (or click it and click Connect).




Figure 6 - 1 WiFi & Network Connections

- 5. Enter a network security key (password) if required, and click Next.
- 6. You can choose to share or connect to devices or not.
- 7. When you are connected to the network access point it will display Connected status Connected.
- Select any connected network and click **Disconnect Disconnect** to disconnect 8. from a connected access point.



transmission devices aboard aircraft is usually prohibited.

> Make sure the module is either OFF or in Airplane mode if you are using the computer aboard aircraft.

沃 Wireless Device

Figure 6 - 2 Network Connected (Click Disconnect)

6

- 9. You can click the **Airplane Mode** button to turn the mode On or Off.
- 10. You need to either use **Airplane Mode**, or to **turn the WLAN module off** aboard aircraft.
- If you click on Network Settings to bring up Network & Internet for a more comprehensive list of network and internet settings including Wi-Fi (can be turned on/off), Airplane mode (Airplane mode and Wireless devices can be turned on/off) VPN, Dial-up, Ethernet and Proxy.



Figure 6 - 3 Network & Internet Settings

6

Modules & Options

沁

Wireless Device Operation Aboard Aircraft

The use of any portable electronic transmission devices aboard aircraft is usually prohibited. Make sure the WLAN & Bluetooth module(s) are OFF if you are using the computer aboard aircraft by putting the system in to Airplane Mode (see Table 1 - 2, on page 1 - 10).

Bluetooth

If your purchase option includes the **Combination Wireless LAN & Bluetooth module** then install the driver as instructed overleaf.

Make sure that the module is on (i.e. the system is not in **Airplane Mode**) before installing the driver.

P Bluetooth Data Transfer

Note that the transfer of data between the computer and a Bluetooth enabled device is supported in one direction only (simultaneous data transfer is not supported). Therefore if you are copying a file from your computer to a Bluetooth enabled device, you will not be able to copy a file from the Bluetooth enabled device to your computer until the file transfer process from the computer has been completed.

Note that you need to install both the WLAN & Bluetooth drivers for the WLAN & Bluetooth Combo modules.

Intel Bluetooth Driver Installation

- 1. Make sure the system is not in Airplane Mode, and then insert the *Device Drivers & Utilities + User's Manual* disc into an attached DVD drive.
- 2. Click **Option Drivers** (button).
- 3. Click 2.Install Combo BT Driver > Yes.
- 4. Click Next.
- 5. Click in the check box to accept the license and click Next.
- 6. Select the setup type (Typical is recommended) and click Install.
- 7. Click Finish.
- 8. See *"Bluetooth Configuration in Windows" on page 6 12* for configuration instructions.

Bluetooth Configuration in Windows

- 1. Go to the **Settings** control panel and click **Devices** (or click the Bluetooth icon ***** in the taskbar and click **Add a Bluetooth Device**).
- 2. Click Bluetooth & other devices and make sure Bluetooth is On.
- Click Add Bluetooth or other device > Bluetooth (Add a device) and a list of discovered devices will appear.





Figure 6 - 4 Settings > Bluetooth & Other Devices (Add a Bluetooth Device)

6

Figure 6 - 5 Add a Device 4. Double-click the device you want to pair with the computer and click **Connect**, if the PIN matches that on the device to which you wish to connect (you may need to click paid on the device).



5. Select a device and click **Remove Device** Remove device to disconnect from any device (click **Yes** to confirm).




Figure 6 - 7 Bluetooth Remove Device

To Make your Computer Discoverable to Bluetooth Devices

- 1. Go to the **Settings** control panel and click **Devices** (or click the Bluetooth icon ***** in the taskbar and click **Open Settings**).
- 2. Click Bluetooth & other devices and click More Bluetooth options.
- 3. In **Bluetooth Settings** make sure that **Allow Bluetooth devices to find this PC** check box (**Discovery**) has a check inside it.
- 4. Make sure that the *Alert me when a new Bluetooth device wants to connect* check box (**Notifications**) has a check inside it, if you want to be notified when a Bluetooth device wants to connect.

 Settings 		8 Bluetooth Settings	×	
A Home	Bluetooth & other devices	Options COM Ports Hardware		
Find is setting Devices Image: Bluetooth & other devices. Image: Printers & scarmers	Download over metered scenections So help prevent extra sharps: keep this off to dence software (driver, ind, and app) for new dencession 1 download while you're on metered Internet connection.	Discovery [2] Allow Bluetooth devices to find this PC Bluetooth devices will see the name of this PC.		
C Mouse	Turn on Bluetooth even faster To lum Bluetooth on or off willicud opening Settings, open action center an Bluetooth Jose	Notifications Alert me when a new Bluetooth device wants to connect Show the Bluetooth icon in the notification area		
Typing Pen & Windows Ink	Related settings Devices and planter			
Q AutoPlay Ĉ ⊔sa	Sourd vettings Decider vettings May Blacketh cytory			
	Send or receive files via Bluetooth	Restore Defaults	1	
	Have a question? Fis Blactocits convertions. Reinstall blactocits drivers	OK Cancel Appl	ly	

Figure 6 - 8 **Bluetooth Settings**

Intel® Software Guard Extensions Driver

Install the Intel® Software Guard Extensions Driver which provides a set of instructions allowing user-level code a degree of security, and privacy, from the operating system. Make sure that SW Guard Extensions is Enabled in the BIOS before installing the driver (see "Software Guard Extensions (SGX) - (Advanced Menu > Advanced Chipset Control)" on page 5 - 14).

Intel SGX Driver Installation

- 1. Insert the *Device Drivers & Utilities + User's Manual* disc into an attached DVD drive.
- 2. Click **Option Drivers** (button).
- 3. Click **3.Install SGX Driver > Yes**.
- 4. Click **OK** > **OK** to complete the installation.

Intel® Rapid Storage Technology

Install the Intel® Rapid Storage Technology driver to support your Intel® OptaneTM system or system SSD.

IRST Driver Installation

- 1. Insert the *Device Drivers & Utilities + User's Manual* disc into an attached DVD drive.
- 2. Click **Option Drivers** (button).
- 3. Click 6.Install IRST Driver > Yes.
- 4. Click Next > Next.
- 5. Click in the check box to accept the license and click Next.
- 6. Click Next > Next > Next.
- 7. Click Finish to restart the computer.
- 8. Run the Intel® Rapid Storage Technology app from the Apps screen.

See the following pages for more information if you have set your system for Intel® **Optane**TM (see page 6 - 18) configuration.

After setting the SATA mode to Intel® OptaneTM and installing the Intel® Rapid Storage Technology application, DO NOT uninstall the Intel® Rapid Storage Technology application.

汃

IRST and M.2 PCI-e SSDs

Note that Intel® Rapid Storage Technology does not support M.2 SSDs with a PCI-e Interface (M.2 SSDs with a SATA Interface are supported).

Optane SSD Module Removal

If you need to remove an installed Optane SSD module for any reason, you must disable (see "Disabling Intel® Optane™" on page 6 - 24) Intel Optane before doing so.

Failure to disable Optane before removing an Optane SSD module will result in the system being unable to start up.

Intel® Rapid Storage Technology

Intel® Rapid Storage Technology application displays status information on your system's **SSD** configuration. Run the **Intel® Rapid Storage Technology** application from the item in the **Start** menu.

When the Intel® Rapid Storage Technology application is launched the system will open the Status window. Here you can view the general health of the storage system. Various volume creation and management options are available depending on the system's status.




Figure 6 - 9 Intel® Rapid Storage Technology Status

Intel® Rapid Storage Technology 6 - 19

Modules & Options

Intel® Rapid Storage Technology for Optane Systems

Intel® Rapid Storage Technology application displays status information on your **Intel® Optane[™]** configuration. Run the **Intel® Rapid Storage Technology** application from the item in the **Start** menu.

When the Intel® Rapid Storage Technology application is launched the system will open the Status window. Here you can view the general health of the storage system. Various volume creation and management options are available depending on the system's status.




 Image: Constraint of the system

 Optane SSD Module Removal

 If you need to remove an installed Optane SSD module for any reason, you must disable (see "Disabling Intel® Optane!" Optane!" Optane!" Optane Constraint of the system

 ''Disabling Intel® Optane!" on page 6 - 24

 Intel Optane before doing so.

Failure to disable Optane before removing an Optane SSD module will result in the system being unable to start up.

Figure 6 - 10 Intel® Rapid Storage Technology Status

Figure 6 - 11

IRST - Intel® Optane™ Memory

(Enable)

Enabling Intel® Optane™

- 1. Run the Intel® Rapid Storage Technology application.
- 2. Click Enable.




3. The system will pop-up a message and ask you to select a compatible fast drive (in this case there should only be one option).

Figure 6 - 12 IRST - Intel® Enable Optane™ Memory

Select a compatible fast drive:		
PCIe SSD on Controller 2, Port 0 (13 GB)	-	
Select a compatible data drive:		
SATA SSD on Controller 0, Port 2 (119 GB) (system)	-	
After Intel® Optane [™] memory is enabled, please restart your P operations.	C before performing	any partition or formatti
O Ensure that the PC is connected to an AC power source during	this process.	
▲ This process will take some time and may negatively impact drive will be erased. Do you want to enable Intel® Optane		ice. All data on the fast
More bein		Ves No

restart the computer.



You will need to restart the computer after enabling Optane, and make sure the

You can click the **Intel Optane Memory** tab in the IRST control panel and click **Reboot** to restart the computer, or simply after the process has been completed

system is powered by the powered AC/DC adapter, and not by battery only.

Click **Yes** to begin the process (this may take some time).

4.

5. 6.

> Figure 6 - 13 IRST - Intel® Enable Optane™ Memory - Reboot

- 7. After restarting can access **Device Manager** (right-click the **Start** menu and select **Device Manager**).
- 8. Click Disk drives to check that the drive should read Intel Optane ******.




Figure 6 - 14 Device Manager (Disk drives)

6 - 22 Intel® Rapid Storage Technology

9. Run the Intel® Rapid Storage Technology application to check the status.




Figure 6 - 15 IRST - Intel® Optane™ Memory (Enabled)



if you want to reinstall/ reset the system, remove the Optane SSD or update the IRST driver

Figure 6 - 16 IRST - Intel® Optane™ Memory (Disable)


> Figure 6 - 17 IRST - Yes to

> > Disable

Disabling Intel® Optane™

If you need to disable Intel® OptaneTM for any reason follow these instructions (you can also disable Optane from the BIOS, see page 6 - 26).

- 1. Run the Intel® Rapid Storage Technology application.
- 2. Click Disable.



6 - 24 Intel® Rapid Storage Technology

4. Restart the computer to complete the process.

- 5. Run the Intel® Rapid Storage Technology application.
- 6. The Status of Intel® Optane[™] Memory is indicated in the Window.
- 7. To enable Intel® Optane[™] Memory follow the process indicated in *"Enabling Intel*® Optane[™]" on page 6 20.

Intel® Rapid Storage Technology						_		
Status	Manage	Intel® <u>O</u> ptane [™] Memory	Performance	Ereferences	Help			(intel)
Your system i Manage Click on any e The Windc improve d your need: Intel® Optar	ows* write-cach ata performano s. 😨 ne ^m Memory		nabled for all RAID					(U)
	Intel®	Optane™ Memory						
	Intel®	Optane™ memory sta	atus: disableo	d. <u>Enable</u>				

Modules & Options

沁



tane[™] SSD is to be transferred to another system for use for any reason, you will need to disable Intel® Optane[™] in IRST first.

Removal of any cover(s) and /or screw(s) violates the terms of your warranty.

Figure 6 - 18 IRST - Intel® Optane™ Memory (Status)

Disabling Intel® Optane[™] in the BIOS

- 1. Restart your notebook computer and press <F2> to enter the BIOS.
- 2. Go to the **Advanced** menu and click **Intel(R) Rapid Storage Technology** (**Advanced** menu) item to check the information.
- 3. Click on Intel Optane *******.



Figure 6 - 19 Intel(R) Rapid Storage Technology (Optane)

6 - 26 Intel® Rapid Storage Technology

4. Click Disable.




Figure 6 - 20 Intel(R) Rapid Storage Technology (Disable Optane)

- 5. You can click to either Enable or Disable "Preserve user data:"
- 6. Click on "**Are you sure you want to disable**?" and select **Yes**, and then click "**Disable**".



- 7. Click "F10 Save and Exit" and click "Yes" to restart the system.
- 8. If you re-enable Optane in the Intel Rapid Storage Technology control panel then it will also be re-enabled in the BIOS (**Optane can only be Enabled in the Intel Rapid Storage Technology control panel**).

Figure 6 - 21 Intel(R) Rapid Storage Technology (Preserve User Data)

PC Camera Module

When the PC Camera application is run the LED indicator to the left of the camera will be illuminated (see **2** *Figure 1 - 2 on page 1 - 6*). Note that you need to use the **Camera** app in *Windows* to take pictures and capture video. Use the Fn + F10 key combination (see *"Function/Hot Key Indicators" on page 1 - 10*) to toggle power to the PC Camera module.

Note that you need to use the **Camera** app **o** in **Windows** to take pictures and capture video.

Camera App

- 1. Make sure the PC Camera is turned on by using the **Fn + F10** key combination (or **Control Center button**).
- 2. Run the Camera app from the Start menu by clicking on the **Camera** app icon (you can type "camera" into the search box to find the Camera app).
- 3. The interface displays two buttons on the right of the screen; one for photo and one for video.



Camera App Mode Icons

- 4. Simply click on the appropriate button (or arrow) to switch to either photo or video modes.
- 5. You can use the buttons on the left of the screen to access the **Settings**, **HDR**/ **Brightness** and **Photo Timer**.




Figure 6 - 23 Camera Menu Buttons

Figure 6 - 22

Figure 6 - 24

Camera Settings

6. Click Settings to access the camera settings menu to select/deselect Pro mode, make adjustments for Photo Quality, Framing grid, Time lapse, Video Quality and Flicker reduction.





Camera Settings

The **Self Timer** can be set to take Photos after **2**, 5 or *10* seconds.

You can use a Framing grid to help you line up pictures.

The **Photo Quality** can be changed to that which the system supports.

Time lapse can be set to keep taking photos until the camera button is pressed again.

The **Video Quality** resolution and frame rate can be set to any supported by the system. Note that capturing high resolution video files requires a substantial amount of disk space for each file. After recording video, check the video file size (right-click the file and select Properties) and the remaining free space on your hard disk (go to File Explorer, right-click the hard disk, and select Properties). If necessary you can remove the recorded video file to a removable medium e.g. a USB Flash drive.

If you need to reduce any screen flicker, change the settings in **Flicker reduction** to either e.g. 50Hz or 60Hz.

7. With the **Pro mode** selected (in Settings) you can access the **Brightness** button to adjust the brightness.





Figure 6 - 26 Camera Brightness Adjustment (Pro mode)



8. In Auto mode you can toggle HDR on or off.

Figure 6 - 27 Camera HDR (Auto mode)

Taking Pictures/Capturing Video

- 1. Make sure the PC Camera is turned on by using the **Fn + F10** key combination (or **Control Center button**).
- 2. Run the Camera app from the Start menu by clicking on the **Camera** app icon (you can type "camera" into the search box to find the Camera app).
- 3. Click to select either **photo** or **video** modes.
- 4. Click the photo icon to take a picture.
- 5. Click on the video icon ion to start video capture (when video capture begins a timer will appear at the bottom of the screen).
- 6. To stop video capture click the stop 💽 button (you can also pause 🔟 the video capture).





7. Captured photos and videos will be saved to the **Photos** app stored in the Start menu (type **Photos** into the search box if you cannot find the app). You can also access the photos from the **Camera roll** icon at the bottom right of the Camera app screen.




Figure 6 - 29 Photos App (For Captured Photos & Videos) & Camera Roll in the Camera App

IR Camera

(Factory Option)

The **Infrared camera** is compatible with the **Windows Hello facial recognition** system. The IR Camera provides a user-friendly interface with a single form of verification to log on to your computer.

The IR Camera module uses the **Sign-in options** configuration of the **Windows Ac-***count*.

Facial Scanning with Glasses


R

If you set up Windows Hello without glasses, as recommended, then you can select **Improve recognition** to try the setup again with them on (reflection problems from glasses will sometimes hamper the recognition).

Figure 6 - 30 Windows Hello (Face Recognition)

IR Camera Module Configuration

- 1. Before setting up the facial recognition system make sure that:
 - The system is powered by the AC/DC adapter (if the system is powered by the battery then facial recognition will not work).
 - If you are a glasses wearer then it is recommended that you remove your glasses in order to prevent reflection problems hampering the facial recognition system.
- 2. Click the **Settings** item in the Start Menu and then click **Accounts** and click **Signin options**.
- 3. You will need to add a *Windows* password (click Add under Password).
- 4. After you have added the password you will need to also add a PIN.
- 5. Click Set up under Windows Hello Face.



- 6. Click **Get Started** and the Windows Hello Setup Wizard will then guide you through the set up process to scan your face.
- 7. You will need to key in the pin number on initial setup.



Figure 6 - 31 Windows Hello Setup (Get Started & Enter PIN)

- 8. Before the scanning process begins, once again note:
 - The system is powered by the AC/DC adapter (if the system is powered by the battery then facial recognition will not work).
 - If you are a glasses wearer then it is recommended that you remove your glasses in order to prevent reflection problems hampering the facial recognition system.

9. Keep looking directly at the screen and the system will scan your face (the blue bar underneath your picture indicates the progress of the scan).





Figure 6 - 32 Windows Hello Setup (Scan in Progress)

10. The system will then prompt with "**All Set!**", so click **Close** to exit the Setup Wizard.



- 11. Restart the computer after the scanning process has been completed.
- 12. You can use the facial recognition system to unlock your computer the next time you start the system. The system will prompt with "Getting ready..." and after seeing this simply look directly (as it prompts "Looking for you..." / "Making sure it's you..") at the screen to complete the scan.

Figure 6 - 33 Windows Hello Setup (All Set!) & Logon Prompts

IR Camera and Power-Saving

 \mathcal{M}

If you turn off the PC Camera (e.g. by using the **Fn + F10** key combination or **Control Center** icon) then the facial recognition system will not function.

If the system enters and resumes from Hibernate, is restarted, or is shut down and restarted with the camera turned off, then the facial recognition system will not function.

Trusted Platform Module

(Optional)

The **TPM security chip** allows you to create and manage digital certificates for user and platform authentication. This type of security is usually administered within large enterprises and organizations, and therefore requires implementation by a system administrator before users can access security features.

Individual users can use the TPM as an authentication with the fingerprint reader.

Make sure you have administrator's rights to your computer, and have a *Windows* password enabled for full security protection. In addition **Make sure you prepare** a removable media (e.g. a USB flash drive) to store passwords etc. before beginning the TPM initialization process.

Before setting up the TPM functions you must initialize the security platform.

Enabling & Activating TPM

- 1. Restart the computer.
- 2. Enter the **BIOS** pressing **F2** during the POST/startup.
- 3. Click to enter the Setup Utility and select the Security menu.
- 4. Click TPM Configuration and select Enable for Security Device Support.
- 5. You will then need to save the changes and restart the computer.



Clearing TPM Information

ß

You can click **Clear TPM**, which will toggle the setting between **Enabled/Disabled**. If set to **Enabled** this will clear existing TPM information in order to reset the TPM.

Figure 6 - 34 Security - Trusted Computing

Trusted Platform Module 6 - 41

6

TPM Management in Windows

You can manage your TPM settings from within Windows:

- 1. Go to the Control Panel.
- 2. Click BitLocker Drive Encryption (System and Security).
- 3. Click **TPM Administration**.




Figure 6 - 35 BitLocker Drive Encryption (TPM Administration) 4. The TPM Management window allows you to configure the TPM within *Windows*. As TPM is usually administered within large enterprises and organizations, your system administrator will need to assist you in managing the information here.




Figure 6 - 36 Trusted Platform Module (TPM) Management on Local Computer Administration

TPM Actions

- Click Prepare the TPM and follow the instructions in the Wizard to prepare the 1. TPM (this will probably require a restart of the computer and confirmation of the setting changes after restart by pressing the appropriate F key).
- 2. After the restart the TPM will be prepared and you can then use the Actions menu to Turn TPM off, Change Owner Password, Clear TPM or Reset TPM Lockout.
- A wizard will help take you through any setup steps. 3.



6

Figure 6 - 37 **TPM Actions Menu**

6

Modules & Options

BitLocker

BitLocker Drive Encryption can be used in conjunction with the TPM to encrypt data on the disk. Access the Microsoft **BitLocker Drive Encryption** control panel applet from the *Windows* control panel (System and Security).

- 1. Click Turn on Bit Locker.
- 2. Follow the on-screen instructions to setup BitLocker, and make sure you have a removable media (e.g. a USB flash drive) to store saved recovery keys etc.




Figure 6 - 38 BitLocker Drive Encryption

Chapter 7: Troubleshooting

Overview

Should you have any problems with your computer, before consulting your service representative, you may want to try to solve the problem yourself. This chapter lists some common problems and their possible solutions. This can't anticipate every problem, but you should check here before you panic. If you don't find the answer in these pages, make sure you have followed the instructions carefully and observed the safety precautions in the preface. If all else fails, talk to your service representative. You should also make a record of what happened and what remedies you tried.

Of course, if something goes wrong, it will happen at the most inconvenient time possible, so you should preview this section just in case. If, after you've tried everything, and the system still won't cooperate, try turning it off for a few minutes and then rebooting. You will lose any unsaved data, but it may start working again. Then call your service representative.

Troubleshooting

Basic Hints and Tips

Many of the following may seem obvious but they are often the solution to a problem when your computer appears not to be working.

- **Power** Is the computer actually plugged into a working electrical outlet? If plugged into a **power strip**, make sure it is actually working. Check the **LED Power & Communication Indicators** (see "*LED Indicators*" on page 1 8) to see the computer's power status.
- Connections Check all the cables to make sure that there are no loose connections anywhere.
- Power Savings Make sure that the system is not in Hibernate or Sleep mode by pressing the keys configured in your Power Options (see "Power-Saving States" on page 3 7), the Fn + F12 key combination, or power button to wake-up the system.
- Brightness Check the brightness of the screen by pressing the Fn + F8 and F9 keys to adjust the brightness.
- Display Choice Press Fn + F7 to make sure the system is not set to "external only" display.
- Boot Drive Make sure there are no optical media and/or USB storage devices in any connected drive.

7 - 2 Basic Hints and Tips

Backup and General Maintenance

- Always **backup** your important data, and keep copies of your OS and programs safe, but close to hand. Don't forget to note the **serial numbers** if you are storing them out of their original cases, e.g. in a CD wallet.
- Run **maintenance programs** on your hard disk and OS as often as you can. You may schedule these programs to run at times when you are not using your computer. You can use those that are provided free with your OS, or buy the more powerful dedicated programs to do so.
- Write down your passwords and keep them safe (away from your computer). This is especially important if you choose to use a **Supervisor** password for the BIOS (see *"The Insyde BIOS Utility" on page 5 2*).
- Keep copies of vital settings files such as network, dialup settings, mail settings etc.(even if just brief notes).

》 Warranty

The CPU is not a user serviceable part. Opening this compartment, or accessing the CPU in any way, may violate your warranty.

Troubleshooting

Viruses

- Install an Anti-Virus program and keep the definitions file (the file which tells your program which viruses to look for) up to date. New computer viruses are discovered daily, and some of them may seriously harm your computer and cause you to lose data. Anti-Virus programs are commercially available and the definitions file updates are usually downloadable directly from the internet.
- Be careful when opening e-mail from sources you don't know. **Viruses** are often triggered from within **e-mail attachments** so take care when opening any attached file. You can configure most **Anti-Virus** programs to check all **e-mail attachments**. **Note**: You should also beware of files from people you know as the virus may have infected an **address book** and been automatically forwarded without the person's knowl-edge.
- Keep a "Bootable CD-ROM/DVD-ROM/USB storage device" (this CD/DVD/USB device provides basic information which allows you to startup your computer) handy. You may refer to your OS's documentation for instructions on how to make one, and many Anti-Virus programs will also provide such a disk (or at least instructions on how to make one).

Upgrading and Adding New Hardware/Software

- Do not be tempted to make changes to your **Windows Registry** unless you are very sure of what you are doing, otherwise you will risk severely damaging your system.
- Don't open your computer or undertake any repair or upgrade work if you are not comfortable with what you are doing.
- Read the **documentation**. We can assume, since you are reading this that you are looking at the computer's manual, but what about any new peripheral devices you have just purchased? Many problems are caused by the installation of new hardware and/or software. Always refer to the documentation of any new hardware and/or software, and pay particular attention to files entitled "**READ ME**" or "**READ ME FIRST**".
- When installing a new device always make sure the device is powered on, and in many cases you will need to restart the computer. Always check that all the cables are correctly connected.
- Make sure you have installed the **drivers** for any new hardware you have installed (latest **driver files** are usually available to download from vendor's websites).

- Thoroughly check any **recent changes** you made to your system as these changes may affect one or more system components, or software programs. If possible, go back and undo the change you just made and see if the problem still occurs.
- Don't over complicate things. The less you have to deal with then the easier the source of the problem may be found; **Example** if your computer has many devices plugged into its ports, and a number of programs running, then it will be difficult to determine the cause of a problem. Try disconnecting all of the devices and restarting the computer with all the peripheral devices unplugged. A process of elimination (adding and removing devices and restarting where necessary) will often find the source of a problem, although this may be time consuming.

^{7 - 6} Upgrading and Adding New Hardware/Software

Problems and Possible Solutions

Problem	Possible Cause - Solution
You are losing battery power too quickly.	The system is using too much power. If your OS has a Power Options scheme (see "Power Plans" on page 3 - 5) check its settings. You may also be using a peripheral device/USB device that is drawing a lot of power.
Actual battery operating time is shorter than expected.	The battery has not been fully discharged before being recharged. Make sure the battery is fully discharged and recharge it completely before reusing (see pages 3 - 16 to 3 - 21).
	<i>Power Options have been disabled.</i> Go to the Control Panel in <i>Windows</i> and re-enable the options.
	A peripheral device/USB device is consuming a lot of power. Turn off/remove the unused device to save power.
The computer feels too hot .	Make sure the computer is properly ventilated and the Vent/Fan intakes are not blocked. If this doesn't cool it down, put the system into Hibernate mode or turn it off for an hour. Make sure the computer isn't sitting on a thermal surface (see <i>"Overheating" on page 1 - 7</i>). Make sure you're using the correct adapter.
	Make sure that your notebook is completely powered off before putting it into a travel bag (or any such container). Putting a notebook which is powered on in a travel bag may cause the Vent/Fan intakes to be blocked.

Problem	Possible Cause - Solution
Nothing appears on screen.	The system is in a power saving mode. Toggle the sleep/resume key combination, Fn + F4 (see "Configuring the Power Buttons" on page 3 - 9).
	<i>The screen controls need to be adjusted.</i> Toggle the screen control key combinations Fn + F8/F9 . If you're connected to an external monitor, make sure it's plugged in and turned on. You should also check the monitor's own brightness and contrast controls.
	<i>The computer is set for a different display.</i> Toggle the screen display key combination, Fn + F7 . If an external monitor is connected, turn it on.
	The screen saver is activated. Press any key or touch the TouchPad.
No image appears on the external monitor I have plugged in and powered on.	You haven't installed the video driver and configured it appropriately from the Control Panel . See Appendix C for instructions on installing and configuring the video driver.
You forget the boot password .	If you forget the password, you may have to discharge the battery of the CMOS. Contact your service representative for help.

之 Password Warning

If you choose to set a boot password, **NEVER** forget your password. The consequences of this could be serious. If you cannot remember your boot password you must contact your vendor and you may lose all of the information on your hard disk.

Problem	Possible Cause - Solution	
The sound cannot be heard or the volume is very low .	The volume might be set too low. Check the volume control in the Volume Control Panel in the Windows notification area, or use the key combination Fn + F5 and F6 (see <i>"Function/Hot Key Indicators" on page 1 - 10</i>) to adjust.	
Unwelcome numbers appear when typing.	Num Lock is turned ON (see "LED Indicators" on page 1 - 8).	
I am sliding my finger up and down on the right side of the Touchpad to scroll a Window and the Touchpad does not respond .	There are different Touchpad versions available on this computer, and this version requires tapping/holding to scroll. Either tap repeatedly, or hold the finger down, at the top or bottom right of the Touchpad (depending on the scrolling direction required) to scroll the window.	

Ø

Other Keyboards

If your keyboard is damaged or you just want to make a change, you can use any standard USB keyboard. The system will detect and enable it automatically. However special functions/hot keys unique to the system's regular keyboard may not work.

The system freezes or the screen goes	The system's power saving features have timed-out. Use the AC/DC adapter,
dark.	press the sleep (Fn + F4) key combination, or press the power button if no LEDs
	are lit.

7

Problem	Possible Cause - Solution
The screen appears to be upside down.	The screen rotation feature has been enabled. Use screen rotation (Fn + R) key combination to rotate the screen again.
The system never goes into a power saving mode.	Power Options features are not enabled. Go to the <i>Windows</i> Power Options menu and enable the features you prefer (see <i>"Power-Saving States" on page 3 - 7</i>). Make sure you have enabled Hibernate mode from the control panel.
The Wireless LAN/Bluetooth modules cannot be detected.	<i>The modules are off as the computer is in</i> Airplane Mode . Go to the Charms Bar and select Settings and then click the WiFi icon (Airplane mode should be Off).
The PC Camera module cannot be detected.	<i>The module is off.</i> Press the Fn + F10 key combination in order to enable the module (see <i>"Function/Hot Key Indicators" on page 1 - 10</i>). Run the camera application to view the camera picture.
The Wireless LAN/Bluetooth modules cannot be configured.	The driver(s) for the module(s) have not been installed. Make sure you have installed the driver for the appropriate module (see the instructions for the appropriate module in <i>"Modules & Options" on page 6 - 1</i>).
A file cannot be copied to/from a connected Bluetooth device.	The transfer of data between the computer and a Bluetooth enabled device is supported in one direction only (simultaneous data transfer is not supported). If you are copying a file from your computer to a Bluetooth enabled device, you will not be able to copy a file from the Bluetooth enabled device to your computer until the file transfer process has been completed

Problem	Possible Cause - Solution			
When using a Bluetooth headset the audio appears to be mono and not stereo.	This is a common issue with Bluetooth headsets. To resolve this issue do the following (you will need to repeat this procedure after every boot up , restart , or when the system resumes from hibernation):			
	 Go to the Devices & Printers control panel in Windows. Double-click the Bluetooth headset. Click Connect to complete the stereo connection. OR Go to the Sound control panel in Windows. Right-click (in the Playback tab) the Bluetooth Stereo Audio device (the default device is Headset). Click Connect to complete the stereo connection. 			
A file being copied to/from a connected Bluetooth device appears to be transferring very slowly .	You may have the Bluetooth control panel (Settings > Devices > Bluetooth) open . When transferring data between the computer and a Bluetooth enabled device, make sure that the Bluetooth control panel is closed .			
	Every Bluetooth Control Panel (Settings > Devices) Close the Bluetooth control pan- el (pictured on the right) when transferring data between the com- puter and a Bluetooth enabled de- vice.			

Problem	Possible Cause - Solution
I can't hear any sound from the microphone in my connected headset, when trying to test the audio playback.	 You need to enable listening to the microphone in the audio control panel in order to hear any sound through your connected headset as follows: Right-click the volume control icon in the taskbar. Select Recording Devices. Curre Velice Merric Microphone and select Listen. Click to put a check in Listen to this device check box. Microphone Properties General Listen to a portable music player or other device through Microphone jack. If you connect a microphone, you may hear fet Ustern to this device Click Apply. You can then listen to the playback though the headset for testing. Remember to disable this feature (remove the check from the Listen to this device check box) otherwise you may hear an echo from the internal

Intel® Optane[™] Notes

Intel[®] Optane[™] is a combination of a compatible memory device and Intel Rapid Technology software. This combination is designed to speed up your system performance. However note the following;

- The **SATA Mode** should be set **BEFORE installing an operating system**, and after you have backed up all necessary files and data (see sidebar). See "*Intel® Optane*TM" on page 6 2 for details and make sure you install the **Intel Rapid Storage Technology application** (see "*IRST Driver Installation*" on page 6 17).
- It is very important to make sure that when you create a hard disk drive partition when installing Windows for an Intel® Optane[™] system, that you leave at least a minimum of 5MB of unallocated space (note this is 5MB only, not GB).
- After setting the SATA mode (Intel RST Premium...) to Intel® Optane[™] and installing the Intel® Rapid Storage Technology application, DO NOT uninstall the Intel® Rapid Storage Technology application.
- If you are reinstalling a system that has previously been setup in Intel RST Premium mode, make sure you have disabled the Intel Optane Memory (see "Disabling Intel® OptaneTM" on page 6 24).
- If you need to reinstall an operating system, uninstall the IRST driver/application or swap the SSD (or Intel® OptaneTM SSD) make sure you have disabled the Intel Optane Memory (see "Disabling Intel® OptaneTM" on page 6 24).

Appendix A: Interface (Ports & Jacks) Overview

The following chapter will give a quick description of the interface (ports & jacks) which allow your computer to communicate with external devices, connect to the internet etc.

Notebook Ports and Jacks

ltem	Description	
2-In-1 Combo Audio Jack Headphone/Microphone	Headphone / Microphone Headphones or speakers may be connected through this jack. Note: Set your system's volume to a reduced level before connecting to this jack. Plug an external microphone in to this jack to record on your computer.	
MicroSD Card Reader	The card reader allows you to use some of the latest microSD digital storage cards. Push the card into the slot and it will appear as a removable device. The compatible microSD card formats are listed below: • microSD / microSDHC / microSDXC	
DC-In Jack	Plug the supplied AC/DC adapter into this jack to power your computer.	
HDMI-Out Port	The HDMI-Out (High-Definition Multimedia Interface) is an audio/video connector interface for transmitting uncompressed digital streams. This allows you to connect an external monitor, TV or Flat Panel Display etc. as a display device by means of a HDMI cable. Note that HDMI carries both audio and video signals .	
Security Lock Slot	To prevent possible theft, a Kensington-type lock can be attached to this slot. Locks can be purchased at any computer store.	

Interface (Ports & Jacks)

Item	Description
USB 3.0 (USB 3.1 Gen 1) Type A Port	These USB ports are for low-speed peripherals such as keyboards, mice or scanners, and for high-speed peripherals such as external HDDs, digital video cameras or high-speed scanners etc. Devices can be plugged into the computer, and unplugged from the computer, without the need to turn the system off (if the power rating of your USB device is 500mA or above, make sure you use the power supply which comes with the device).
USB 3.1 (USB 3.1 Gen 2) Type A Port DisplayPort 1.2 over USB 3.1,Gen 2	USB 3.0 ports capable of 5Gbps (SuperSpeed) are classified as USB 3.1 Gen 1 and USB ports capable of 10Gbps (SuperSpeed+) are classified as USB 3.1 Gen 2. This model includes 1 * USB 3.0 (USB3,1 Gen 1) port, 1 * USB 3.1 (USB3,1 Gen 2) port and 1 * DisplayPort 1.2 over USB 3.1,Gen 2 (Type-C with Power Delivery DC-In). On this model, the larger blue ports are Type A USB ports, and the smaller port is a Type C port.
(Type-C with Power Delivery DC-In)	Note: The maximum amount of current supplied by USB Type-C ports is 500 mA for USB2.0/900 mA for USB 3.1
DisplayPort Cables When using cables connected to the DisplayPort,	The DisplayPort, which is a digital display interface standard that allows a digital audio/video interconnect, between the computer and its external display or a home-theater system. The DisplayPort 1.2 over USB 3.1,Gen 2 (Type-C with Power Delivery DC-In) combines full DisplayPort A/V performance with SuperSpeed USB in a single connector. You can use a USB Type-C to HDMI or DisplayPort compatible cable connected to the DisplayPort over USB Type-C port to connect an external display.
try to make sure that the cables are not bent ex- cessively, as bending the cables may cause signal problems.	The Type C port supports Power Delivery with DC-In. This port allows you to use a third party AC/ DC adapter/laptop power bank plugged into the port as a power supply. If you are using a power bank make sure that it complies with the USB-C PD (Power Delivery) standard specification rated at 20V/65W - 20V/100W. If you are using a third party AC/DC adapter, the rating of the adapter must be at least 20V, 3.25A (65 Watts) and it should be appropriately certified.

Appendix B: Control Center Overview

The following chapter will give a quick description of the functions of the Control Center application.

Control Center

The Control Center provides quick access to Power Modes, Fan and the LED Keyboard (for illuminated colored keyboards only) configuration. Click icons to access the appropriate menu, and make adjustments as applicable.

Run the **Control Center** from the **Windows Start** menu or by clicking the icon in the notification area of the taskbar.



Figure B - 1 - Control Center Screens

Fan Speed Setting

You can access the **Fan Speed Setting** from the **Control Center** or the **Windows Start** menu **Control Set** the fan speed to **Maximum (full power) or Automatic** from this menu item. The fan speed will adjust itself automatically to control the heat of the CPU. However you can adjust the setting to maximum if you prefer. You can use the **Offset** slider to adjust the settings to your preference, however these settings can be overridden by the system as a safety precaution, if it requires heavier use of the fan.



Figure B - 2 - Fan Settings

B

Power Modes

Power Modes allows you to adjust the power mode by clicking the appropriate icon.



Figure B - 3 - Power Modes

- Power Saving mode focuses on saving battery life (the CPU Turbo Boost and dGPU Turbo will be off).
- Quiet mode focuses on reducing fan noise and will decrease both CPU power and GPU power.
- Entertainment balances CPU and GPU power and is ideal for watching videos etc.
- Performance mode is ideal for gaming with higher CPU and GPU performance.

Illuminated LED Keyboard

Start menu 🐻 LED Keyboard Setting

The LED Keyboard menu will allow to change the **Brightness** and **Keyboard Sleep Timer**. The LED **Keyboard** application can be accessed by clicking **LED Keyboard** in the Control Center, or from the **Windows**

LED KEYBOARD SETTING Ø Override Boot Effect **Override Boot Effect** LED Mode On boot the colored keyboard will momentarily Keyboard flash. You can click in the Override Boot Effect check box to disable the keyboard flashing effect Brightness as the system boots. (1) Keyboard Sleep timer 4 Enable

Figure B - 4 - LED Keyboard Setting

Appendix C: Video Driver Controls

Intel Video Driver Installation

- 1. Click **3.Install VGA Driver > Yes**.
- 2. Click Next > Yes > Next > Next.
- 3. Click Finish to restart the computer.
- 4. **Intel Graphics Control Panel** will download but you will need to have a working internet connection.
- 5. Click the **Start** menu in Windows to access the **Microsoft Store App** tile under **Explore**.
- 6. Click the Sign in icon \mathcal{R}_{+} and select Downloads and updates.
- 7. Click Check for Updates.
- 8. A list of apps being downloaded will pop-up.
- 9. To prioritize the driver you can click **Pause all** to pause the download queue.
- 10. Click on **Intel Graphics Control Panel** and click on the resume icon 🕐 to download the driver.
- 11. When finished the Intel Graphics Control Panel will appear in the Windows Start menu.

Note: After installing the video driver go to the **Display/Display Settings** control panel to adjust the video settings to the highest resolution.

CP Video Card Options

Note that card types, specifications and drivers are subject to continual updates and changes. Check with your distributor/supplier for the latest details on video cards supported.

DVMT Notes

DVMT is not local video memory.

DVMT will not function in MS-DOS. DOS uses the legacy memory indicated.

Dynamic Video Memory Technology

Intel[®] DVMT automatically and dynamically allocates as much system memory (RAM) as needed to the integrated video system (**the video driver must be in-stalled**). DVMT returns whatever memory is no longer needed to the operating system.

Configure Other Displays Using Project

You can configure attached displays from Project.

- 1. Attach your display to the appropriate port, and turn it on.
- 2. Press the **# + P** key combination.
- 3. Click on any one of the options from the menu to select **PC screen only**, **Duplicate**, **Extend** or **Second screen only**.
- 4. You can also click **Connect to a wireless display** at the bottom of the **Project** screen and follow the steps to connect to any wireless enabled display.





Configure Other Displays Using Project C - 3

Configuring an External Display In Windows

The **System > Display** Control Panel in **Settings** may also be used to configure displays.

- 1. Attach your external display to the appropriate port, and turn it on.
- 2. Click the Start Menu and click **Settings > System** (or right-click the desktop and select **Display Settings**).
- 3. Click the Multiple Displays menu and select Duplicate these displays, Extend these displays or Show only on 1/2.
- 4. Click **Keep changes** to save any changes made.

		a contrast	
A Home	Display	Select and rearrange	displays
Find a letting	•	Select a druplay below to cha	inge its settings. Some settings are applied to all displays.
System	Brightness and color		
Display	Change brightness for the built-in display		-
40 Sound	Night light	-	1 2
Notifications & actions	Night light wittinge		<u> </u>
ی Focus assist	Windows HD Color		
🕑 Power & sleep	Get a brighter, more vibrant, picture in HDR and WCG vide	Apply Cancel	Identify Dete
D Battery	and opps on the display selected above. Windows HD Color suffings		
📼 Storage	and have been		Multiple displays
R Tablet mode	Scale and layout		
EP Multitasking	Change the size of text, apps, and other items. 100% (Recommended)		Duplicate these displays
	Advanced sceling vettings		Extend these displays
Projecting to this PC	Display resolution		Show only on 1
X Shared experiences			Show only on 2
	1920 × 1200 (Recommended)		A RECEIPTION AND A RECE

Figure C - 2 System > Display (Multiple Displays)

HDMI Audio Configuration

HDMI (High-Definition Multimedia Interface) carries both **audio** and video signals. In some cases it will be necessary to go to the **Sound** control panel and manually configure the HDMI audio output as per the instructions below.

- 1. Go to the Sound control panel.
- 2. Click Playback (tab)
- 3. The playback device will be selected.
- 4. You may need to select the audio device and click Set Default (button).
- 5. Double-click the device to access the control panel tabs.







Figure C - 3 Sound - HDMI Device (set Default)

- 6. Adjust the HDMI settings from the control panel tabs.
- 7. Click **OK** to close the **Sound** (2) control panel.



X

×

Figure C - 4 HDMI Device Properties

HDMI Notes

- Connect a device with HDMI support to the HDMI-Out port **BEFORE** attempting to play audio/video sources through the device.
- To play audio sources through your external display's (TV or LCD) speakers you will need to go to the audio configuration control panel on the display and configure the audio input accordingly (see your display device manual).

HDMI Video Configuration

- 1. Connect an HDMI cable from the HDMI-Out port to your external display.
- 2. Configure your external display as per the instructions in "Attaching Other Displays" on page C 24.
- 3. Set up your external display (TV or LCD) for HDMI input (see your display device manual).
- 4. You can now play video/audio sources through your external display.

Other Applications

R

If you are using a third party application to play DVDs etc. from any attached DVD device, you will need to consult the application's documentation to see the appropriate audio configuration (the application must support digital to analog translation).

Wireless Display Configuration

- 1. Note that no driver or application is required for wireless display in *Windows 10*.
- 2. Press the **# + P** key combination.
- 3. Click **Connect to a wireless display** at the bottom of the **Project** screen and follow the steps to connect to any wireless enabled display.



- 4. The system will then search for compatible display devices (**this may take up to 60 seconds** so allow time for this to complete).
- 5. Double-click any detected display device in the list.
- C 8 Wireless Display Configuration

Figure C - 5 Add a Wireless Display

- 6. You may then need to input a pin number for the device to which you are connecting and click **Next**.
- 7. The display will then connect (for specific settings for your display see the documentation supplied with your compatible adapter/display for full details).
- 8. Go to the **Project** menu and click **Disconnect** to temporarily disconnect from the wireless display.
- To permanently disconnect from the display (you will need to go back through the connection process again) you can select it in **Devices** and click **Remove Device** > Yes.

Intel® UHD Graphics Control Panel

Advanced video configuration options are provided by the Intel® UHD Control Panel.

1. Access the Intel Graphics Control Panel from the Start menu in Windows.




Figure C - 6 Intel Graphics Control Panel (Windows Start Menu)

C - 10 Intel® UHD Graphics Control Panel

OR

2. You can **right-click** the **Intel Graphics Control Panel** in the **Start** menu and pin the control panel to the taskbar.




Figure C - 7 Intel® Graphics Control Panel (right-click to Pin to taskbar)

3. **OR**

Use the Ctrl + Alt + F12 key combination shortcut to open the Intel Graphics Control Panel.



You may make changes to any of the graphics properties by clicking the appropriate

- 🗆 ×

intel

Options and

Figure C - 8Intel® UHD Graphics **Control Panel**

Display

Click either **General Settings** or **Color Settings** to make display adjustments, including configuration for any attached external displays.

Intol® LILI	O Graphics Cont	rol Papal		
Disolay	o Graphics Cont	ronnanei		Ű
eneral Settings	Select Display			
eriorar settings	Bult - Digitar		~	
Aultiple Displays	Resolution		-	
ustom Resolutions	1600 ± 800	2	C) Preses	
	Aufrech Rate			
	38p.Htt	*		
	states		-00	
	Mambim Display Scaling			
elect Profile	Adaptatic Aspect Ratio			Sector 2
Lotert Settings	Corner treater.			
		Ð		
		Date Profile	12	
	D Graphics Cont	Date Profile		-
	D Graphics Cont	Date Profile	2	
Display	D Graphics Cont Select Display	Date Profile	2	
Display Display Settings Color Settings		Date Profile	- 2	
Display	Select Display	Date Profile	× O Paulos	
Display Display color Settings Color Settings Color Settings	Select Display Built in Deplay	trol Panel	M.	
Display	Select Display suit in Dealey Color Environment Isalect Color 1 ad Colors	trol Panel	× () Points	
Display	Select Display with in Dauly Calific (observent Listed Odor 1 ar Calors Baythesis	trol Panel	× 0 rom	
Display Display door Settings Settings Settings	Select Display suit in Dealey Color Environment Isalect Color 1 ad Colors	trol Panel	×	
Display	Splect Display suit in crossly Calor Solvensee System System Corese	trol Panel	×	
Display ormal Settings loke Settings visit Product visit Produc	Select Display with in Dauly Calific (observent Listed Odor 1 ar Calors Buythesi	trol Panel		R
Display ounal Settings loor Settings loor Settings ustom Resolutions	Splect Display suit in crossly Calor Solvensee System System Corese	an hola trol Panel	× 0 nonex √ large	R
Display ounal Settings loor Settings loor Settings ustom Resolutions	Select Display with or Danky Color Index - A colors Registers Color Of Color - A colors Registers Colored	trol Panel		R
Display control Settings Color Settings Solar Declar ustom Resolutions	Select Display with or Danky Color Index - A colors Registers Color Of Color - A colors Registers Colored	an hola trol Panel		R
Display Display Settings Color Settings	Select Display with or Danky Color Index - A colors Registers Color Of Color - A colors Registers Colored	an hola trol Panel		R
Display control Settings Color Settings Solar Declar ustom Resolutions	Select Display with or Danky Color Index - A colors Registers Color Of Color - A colors Registers Colored	an hola trol Panel		R
Display control Settings Color Settings Solar Declar ustom Resolutions	Select Display with or Danky Color Index - A colors Registers Color Of Color - A colors Registers Colored	an hola trol Panel		R
Display control Settings Color Settings Solar Declar ustom Resolutions	Select Display with or Danky Color Index - A colors Registers Color Of Color - A colors Registers Colored	an hola trol Panel		R
Display ounal Settings loor Settings loor Settings ustom Resolutions	Select Display with or Danky Color Index - A colors Registers Color Of Color - A colors Registers Colored	an hola trol Panel		R



Multiple Display

At least one other display must be attached in order to view multiple display selection options.

> Figure C - 9 Intel® UHD Graphics Control Panel -Display

С

Multiple Display

ß

At least one other display must be attached in order to view multiple display selection options.

Audio Settings

Any attached active displays must have audio capacity to allow audio configuration.

Figure C - 10 Intel® UHD Graphics Control Panel Display - Multiple Displays Click the **Display** menu at the top of the screen to display the sub-menus. The **Multiple Displays** menu allows you to configure the display mode of any attached displays (see "*Attaching Other Displays*" on page C - 24). Click **Apply** to save any changes made.

Intel® UHD Gr Display	raphics Control Panel		- D (inte
General Settings Color Settings	Select Display Mode Single Display Clone Displays	0	
Multiple Displays Custom Resolutions	Extended Desktop Select One or More Active Displays Built-in Display	_	Detect
Select Profile Current Settings	Digital Television SyncMaster 💙		
	C+ Save Pr		Activate Windows Beth Sentings to activate Windows

C - 14 Intel® UHD Graphics Control Panel

The **Custom Resolutions** sub-menu allows you to adjust the display (or any attached display) to any width, height, refresh rate, color depth and underscan percentage of your choice. Note that incorrect settings can cause system instability and even possible component damage, so this is adjusted at your own risk.

Intel® UH	D Graphics Control Panel	_ □ ×
General Settings Color Settings	Add Remove Help	_
Multiple Displays Custom Resolutions	Width	
	Height Refresh Rate	
Select Display Built-in Display	Underscan Percentage	
	Resulting Resolution: 0 x 0, 0 Hz.	
		(+) Add



Video Driver Controls

3D

This menu allows you to choose how 3D images are displayed. **Performance** gives the smoothest motion of images, **Quality** displays the most detail, **Balanced Mode** provides better computer performance with good quality and **Custom** allows you to configure the **Anisotropic Filtering** and **Vertical Sync** and features to your preferences. Click **Apply** to save changes.

Application Settings	Select Application	۲	Conservative Morphological Anti-Aliasing
Global Settings	Applications with default 3D se No application found. Press Brown		Override Application Default Settings Enhance Application Default Settings ✓Turn Off
	e Browse vertical Sync	Scan	Multi-Sample Anti-Allasing ✓ Use Application Default Settings Turn Off Anisotropic Filtering
•	✓ Use Application Default Settings		✓ Use Application Default Settings 2x 4x 0x 16x

Figure C - 12 Intel® UHD Graphics Control Panel 3D

C - 16 Intel® UHD Graphics Control Panel

Options and Support

Hot Key Manager in Options and Support allows you to create hot keys for opening the application and scaling etc. Click Apply to save changes.

Intel® UHL	Graphics Contr	ol Panel	- • ×
Options and S	upport		(intel)
Information Center	Restore Graphics Defaults	٢	
Hot Key Manager	<ctrl><alt>F8</alt></ctrl>		
Preferences			
Profiles	Manage Hot Keys	0	
Support	✓ Enable	Disable	
support	Toggle Scaling		
	Open Intel® UHD Graphics C	ontrol Panel	
Select Profile	<ctrl><alt>F12</alt></ctrl>		
Current Settings			
-			
20			
44			_
		(\cdot)	
		Save Profile	



Click the **Options** menu at the top of the screen to display the sub-menus. The **Information** Center provides details on **System Information**, the **Built-In Display** and any **attached displays**.

Intel[®] UHD Graphics Control Panel - 0 X (intel. **Options and Support** ()Intel(R) UHD Graphics Information Center Hot Key Manager Wednesday, September Report Date: Processor Intel(R) Core(TM) 4,2019 15-10210U CPU @ Preferences 1.60GHz Report Time (hh:mm:ss): 10-38:13 AM Processor Speed: 2112 MHz Profiles Driver Version: 26.20.100.7107 Processor Graphics in Use: Intel(R) UHD Graphics Windows* 10 Pro Support Operating System: (10.0.18362) Shader Version: 5.1 Physical Memory: 7523 MB OpenGL* Version: 4.6 Vendor ID: 8086 OpenCL* Version: 21 Select Option Device ID: 9841 Vulkan* Version: 1.1.114 System Information ~ 32.00 Device Revision: 02 CUI Appx Version: Graphics Output Protocol (GOP) 9.0.1095 (2) Microsoft DirectX* Version: Runtime Version: 12.0 Current Resolution: 1920 x 1080 Hardware-Supported Version: 12.0 Save

Figure C - 14 Intel® UHD Graphics Control Panel Options - Information Center

Video

The Video menu allows you to brighten or darken movies, or to switch to vivid colors. The **Preview** image will display a sample image using the current settings. You can **Save Profile** and name the Profile to recall the settings at any time. Click **Apply** to save changes (select **Color Enhancement** or **Image Enhancement** from the menu).



Figure C - 15 Intel® UHD Graphics Control Panel -Video (Color Enhancement) Click the Video menu at the top of the screen to display the sub-menus. The Image Enhancement menu allows you to adjust the Sharpness, Skin Tone Enhancement, Noise Reduction, Contrast Enhancement and Film Mode Detection. Click Apply to save changes.

Figure C - 16 Intel® UHD Graphics Control Panel - Video (Image Enhancement Basic)



Power

The battery life can be extended through dynamic control of the frame rate if **Ex-tended Battery Life for Gaming** is enabled. Settings can be selected for a particular power plan, and you can adjust the slider towards Maximum Quality or Maximum Battery if **Display Power Saving Technology** is enabled.





Profiles

You can select one of the preset profiles (Brighten Video, Darken Video and Enhance Video Colors) from the menu on the left. Alternatively you can go through the menus to make adjustments to your preferences for Display, Color, Video, Options and Support and Power (tick any boxes for the settings required), and then Save the settings to a profile (which may be imported or exported).



Figure C - 18 Intel® UHD Graphics Control Panel -Profiles

C - 22 Intel® UHD Graphics Control Panel

Display Devices & Options

You can use external displays connected to the HDMI-Out port and DisplayPort 1.2 over USB 3.1 Gen 2 Type C (e.g. you will need a USB C display adapter/cable to HDMI or DisplayPort depending on the input for your external display).

Intel Display Mode	Description
Single Display	One of the connected displays is used as the display device (PC screen only or Second screen only).
Clone/Duplicate	Both connected displays output the same view and may be configured independently
Extended / Extend	Both connected displays are treated as separate devices, and act as a virtual desktop
Collage	A number of connected displays are combined into a single unified higher resolution for larger screen sizes
Hybrid	A number of connected displays are combined and can be configured in a combination of Clone and Extended modes



4K2K Videos on 4K2K External Displays

Note you may experience some video lag when playing 4K2K videos on an attached 4K2K external display.

Table C - 1Display Modes

Attaching Displays

When you first attach an external display you may find that the desktop does not occupy the full screen area. Use either the display's auto adjust/configure controls, or the Intel(R) UHD Graphics Control Panel to configure the full screen display.

Multiple Display To At least one other display must be attached in 2.

order to view **Multiple Display** selection options.

Figure C - 19 Display > Multiple Displays (Clone)

Attaching Other Displays

To Clone Displays:

- . Attach your external display to the appropriate port, and turn it on.
- Go to the Intel(R) UHD Graphics Control Panel control panel and click Display > Multiple Displays (sub-menu).
- 3. Click Clone from the Select Display Mode menu.
- 4. Click Apply, and OK to confirm the settings change.
- 5. Select the displays from the Select One or More Active Displays menu.

Intel® UHD G	raphics Control Panel		- 🗆 ×
Display			(intel)
General Settings Color Settings	Select Display Mode Single Display Clone Displays	0	
Multiple Displays Custom Resolutions	Extended Denktop Select One or More Active Displays Built-in Display		Detect
Select Profile Current Settings	Digital Television SyncMaster		
	Save Profile	Const	Activate Windows Gon Septembrie Menswe Appy

To Enable Extended Mode:

- 1. Attach your external display to the appropriate port, and turn it on.
- Go to the Intel(R) UHD Graphics Control Panel control panel and click Display > Multiple Displays (sub-menu).
- 3. Click Extended from the Select Display Mode menu.
- 4. Click **Apply**, and **OK** to confirm the settings change.

 Display 	raphics Control Panel			(intel
General Settings Color Settings Multiple Displays	Select Display Mode Single Display Clone Displays	0	Arrange Displays	0
Custom Resolutions	Extended Desktop Select One or More Active Displays Primary Display Built-in Display Optical Television SyncMaster		Detect	•
Current Settings			Actione W de controls	

Click the appropriate monitor icon and drag it to match the physical arrangement you wish to use (e.g. the secondary display may be extended left/right/ above/below the primary display).

Display Settings Extended Desktop

ß

You can have different Colors, Screen Area and Monitor Refresh Rates for each display device **provided your monitor can support them**.

You can drag the monitor icons to match the physical layout of your displays. Icons and programs may also be dragged between the displays.

Figure C - 20 Display > Multiple Displays (Extended)



Collage mode is used to combine a number of displays into a single unified higher resolution for larger screen sizes,.

Figure C - 21 Display > Multiple Displays (Collage)

To Enable Collage Mode:

- 1. Attach your external display to the appropriate port, and turn it on.
- Go to the Intel(R) UHD Graphics Control Panel control panel and click Display > Multiple Displays (sub-menu).
- 3. Click Collage from the Select Multiple Display Mode menu.
- 4. Click Enable Collage and click On.
- 5. Click Vertical or Horizontal to arrange and displays as required.
- 6. Click **Apply**, and **OK** to confirm the settings change.

Intel® UHD	Graphics Cont	rol Panel		_ 🗆 X
 Display 				(intel)
General Settings Color Settings	Select Display Mode Single Display Clone Displays	0	Arrange Displays Horizontally Vertically	0
Multiple Displays	Extended Desktop			
Custom Resolutions	✓ Collage ✓ Enable Detable Select One or More Active Dis	plays	•	•
	Primary Display Digital Television VA905	~		-
Select Profile Current Settings	Digital Television VA905	~	Detect Sezel Correction	Identify (7)
-			Enable	✓ Disable
		(÷)	Cancel	Apply Sett

C - 26 Attaching Other Displays

Appendix D: Specifications

Latest Specification Information

O

The specifications listed in this Appendix are correct at the time of going to press. Certain items (particularly processor types/ speeds and CD/DVD device types) may be changed, updated or delayed due to the manufacturer's release schedule. Check with your distributor/supplier for details.

Note that this computer model series may support a range of CPUs and/or video adapters.

To find out which **CPU** is installed on your system go to the **Start** menu and select **Settings**, and then select **System** and click **About**. This will also provide information on the amount of **Installed RAM** etc.

To get information on your system's video adapter go to the Start menu and select Settings, and then select System and click Display> Advanced display settings > Display adapter properties.

Specifications

Display 14" / 35.56cm FHD (1920 * 1080), 16:9, 2.4mm Thick Backlit Panel	Pointing Device & Keyboard Built-in Click Pad with Microsoft PTP Multi-Gesture and Scrolling Functionality	One HDMI-Out (High-Definition Multimedia Interface) Port (with HDCP) One 2-in-1 Audio Jack (Headphone / Microphone Combo)
Memory	A4 Size Isolated Illuminated Keyboard OR	One DC-In Jack
Dual Channel DDR4	A4 Size Isolated Keyboard (Factory Option)	Card Reader
On Board DDR4 8GB	Interface	MicroSD Card Reader
Memory Expandable up to 16GB Compatible with 8GB or 16GB Modules	One USB 3.0 (USB 3.1 Gen 1) Port (Type-A)	Slot
One 260 Pin SO-DIMM Socket Supporting DDR4 2666 MHz (processor dependent) Memory Modules (<i>real</i> operational frequency depends on the FSB of the processor)	One USB 3.1 (USB 3.1 Gen 2) Port (Type-A) One DisplayPort 1.2 over USB 3.1 (USB 3.1 Gen 2) Port with Power Delivery DC-In (Type-C) ====================================	Slot WLAN/BT for Combo WLAN and Bluetooth Module Slot SSD 2 for SATA/PCIe Gen 3x4 SSD (Factory Option) Slot SSD 1 for SATA SSD only
Storage	by USB Type-C ports is 500 mA for USB2.0/900 mA for USB 3.1	Communication
One M.2 SSD 2280, SATA/PCIe Gen 3x4 Interface One M.2 SSD 2280, SATA Interface (Factory Option)	The USB 3.1 (USB 3.1 Gen 2) Type C port supports Power Delivery with DC-In. This port allows you to use a third party AC/DC adapter/ laptop power bank plugged into the port as a power supply.	1.0M HD Video Camera Module with USB interface (Factory Option) OR Windows Hello Camera (Factory Option)
Audio	If you are using a power bank make sure that it complies with the USB-C PD (Power Delivery) standard specification rated at 20V/65W - 20V/100W.	Intel® Dual Band Wireless-AC 9560
High Definition Audio Interface 2 * Built-In Speakers Built-In Array Microphone	If you are using a third party AC/DC adapter, the rating of the adapter must be at least 20Volts, 3.25A (65 Watts) and it should be appropriately certified.	(2*2 802.11 a/c) WLAN + Bluetooth M.2 2230 Combo Module (Factory Option) See over

D

Specifications

Intel® Dual Band Wi-Fi 6 AX-200 (2*2	Security	Environmental Spec	
802.11 ax) WLAN + Bluetooth PCIe M.2 2230 Module (Factory Option) Intel® Dual Band Wi-Fi 6 AX-201 (2*2 802.11 ax) WLAN + Bluetooth CNVi M.2 2230 Module (Factory Option)	Security (Kensington® Type) Lock Slot BIOS Password Intel® PTT for systems without TPM Trusted Platform Module 2.0 (Factory Option)	TemperatureOperating:5°C - 35°CNon-Operating:-20°C - 60°CRelative HumidityOperating:Operating:20% - 80%	
Power Management	Features	Non-Operating: 10% - 90%	
Supports Wake on USB Supports Wake on RTC Alarm (AC Mode Only)	Shipping Mode FlexiCharger Intel® Optane™ Technology	Dimensions & Weight 322mm (w) * 216.8mm (d) * 16.5mm (h) 990g *Full System	
Power & Battery	Operating System	and full dystem	
Full Range AC/DC Adapter - AC input 100 - 240V, 50 - 60Hz, DC Output 19V, 3.42A (65 Watts)	Windows® 10 RS6 (64-bit)	*A full system includes the on board 8GB DDR4 DRAM, 256 M.2 SSD, 36WH battery, WLAN module, 1.0M HD video camera and backlit keyboard.	
Embedded Polymer Smart Lithium Ion Battery Pack 36WH	Power/Suspend, Battery & Camera		
Embedded Polymer Smart Lithium Ion	BIOS		
Battery Pack 73WH - (Factory Option)	One 128Mb SPI Flash ROM Insyde BIOS		

Specifications